## SAFETY DATA SHEET

**Date Prepared**: 5/22/2015 **SDS No**: 8300 SDS

**Date Revised : 7/20/2023** 

ate Revisea: 7/20/2023

**Revision No: 1** 

## **Sure Clean**

## 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME: Sure Clean** 

GENERAL USE: Thick Porcelain Tile Cleaner

PRODUCT CODE: 8300 MANUFACTURER Perform Mfg

1624 S. 45th St. Kansas City, KS 66106

Emergency: 913-722-1557 Customer Service: 800-423-9861 E-Mail: sales@performmfg.com 24 HR. EMERGENCY TELEPHONE NUMBERS

Infotrac 800-535-5053

#### 2. HAZARDS IDENTIFICATION

#### **GHS CLASSIFICATIONS**

#### Health:

Skin Corrosion / Irritation, Category 1C Eye Damage/Irritation, Category 1

## Physical:

Corrosive to Metals, Category 1

#### **GHS LABEL**

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)



Corrosion

# SIGNAL WORD: DANGER HAZARD STATEMENTS

H314: Causes severe skin burns and eye damage.

H290: May be corrosive to metals.

#### PRECAUTIONARY STATEMENTS

#### Prevention:

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash face, hands and any exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

#### Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P314: Get medical advice/attention if you feel unwell.

## Storage:

P404: Store in a closed container.

Disposal:

P501: Dispose of contents/container to an approved waste disposal plant.

POTENTIAL HEALTH EFFECTS

INGESTION: Harmful if swallowed

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name   | Wt.% | CAS       |
|-----------------|------|-----------|
| Phosphoric Acid | < 45 | 7664-38-2 |

#### 4. FIRST AID MEASURES

**EYES:** Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately. in case of contact with eyes, rinse immediately with plenty of water.

**SKIN:** Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower. Call a POISON CENTER or doctor / physician. Remove and wash contaminated clothing before re-use.

**INGESTION:** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**INHALATION:** Move to fresh air in case of accidental inhalation of vapors or decomposition products. Get medical attention immediately if symptoms occur.

**NOTES TO PHYSICIAN:** No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

#### 5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: NA = Not Applicable

**GENERAL HAZARD:** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action should be taken involving any personal risk or without suitable training.

**EXTINGUISHING MEDIA:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

OTHER CONSIDERATIONS: In a fire or if heated, a pressure increase will occur and the container may burst.

**FIRE FIGHTING EQUIPMENT:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SENSITIVE TO STATIC DISCHARGE: None

**SENSITIVITY TO IMPACT: None** 

## 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if not water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

**LARGE SPILL:** Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

#### 7. HANDLING AND STORAGE

**HANDLING:** Ensure adequate ventilation. Wear personal protective equipment as required based on a risk assessment. Do not get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist. Remove and wash contaminated clothing before reuse. Wash thoroughly after handling.

**STORAGE:** Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food or drink. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **EXPOSURE GUIDELINES**

| OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200) |                               |                 |        |     |       |     |       |
|---|-------------------------------|-----------------|--------|-----|-------|-----|-------|
|   |                               | EXPOSURE LIMITS |        |     |       |     |       |
|   | OSHA PEL ACGIH TLV Supplier C |                 | er OEL |     |       |     |       |
| Chemical Name                               |                               | ppm             | mg/m³  | ppm | mg/m³ | ppm | mg/m³ |
| Phosphoric Acid                             | TWA                           |                 | 1      |     | 1     | NL  | NL    |
|   | STEL                          |                 |        |     | 3     | NL  | NL    |

**ENGINEERING CONTROLS:** Proper ventilation in accordance with good industrial hygiene should be provided.

#### PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: If splashes are likely to occur, wear: Tightly fitting safety goggles and face shield

**SKIN:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**RESPIRATORY:** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations.

PROTECTIVE CLOTHING: Wear chemical protective clothing e.g. gloves, aprons, boots. As conditions required.

**WORK HYGIENIC PRACTICES:** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

| Chemical Name   | Flash<br>Point<br>(°C) | Boiling | Freezing<br>Point (°C) |    |
|-----------------|------------------------|---------|------------------------|----|
| Phosphoric Acid | 11                     | 22      | 33                     | 44 |

PHYSICAL STATE: Liquid

**ODOR:** Fragranced

ODOR THRESHOLD: No data available

**APPEARANCE:** Colored Liquid

**pH:** 1 to 2

FLASH POINT AND METHOD: None

**FLAMMABLE LIMITS:** NA = Not Applicable

**AUTOIGNITION TEMPERATURE:** NA = Not Applicable

VAPOR PRESSURE: No data available VAPOR DENSITY: No data available

**BOILING POINT:** (212°F) **FREEZING POINT:** (0°F)

THERMAL DECOMPOSITION: No data available SOLUBILITY IN WATER: Completely soluble

**EVAPORATION RATE:** Similar to water

VISCOSITY: Moderately viscous

#### 10. STABILITY AND REACTIVITY

**STABILITY:** Stable under recommended storage conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: Under normal conditions of storage and use, hazardous reactions will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS: None known.

**INCOMPATIBLE MATERIALS:** Mixing with bleach, alkali, or oxidizers may generate toxic gases. Never use or mix with other chemicals.

#### 11. TOXICOLOGICAL INFORMATION

#### **ACUTE**

DERMAL LD<sub>50</sub>: > 2000 mg/kg
ORAL LD<sub>50</sub>: > 2000 mg/kg
INHALATION LC<sub>50</sub>: > 20 mg/L
EYE EFFECTS: Eye Damage/Irritation

**SKIN EFFECTS:** Skin Damage/Irritation

CARCINOGENICITY

 Chemical Name
 General Toxicity

 Phosphoric Acid
 None known.

REPEATED DOSE EFFECTS: Repeated or prolonged contact causes skin burns or eye damage.

SENSITIZATION: Not a sensitizer

#### 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL DATA:** This material has not been tested for acute environmental effects. **BIOACCUMULATION/ACCUMULATION:** No evidence to suggest bio-accumulation will occur.

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### 14. TRANSPORT INFORMATION

#### **DOT (DEPARTMENT OF TRANSPORTATION)**

**PROPER SHIPPING NAME:** Corrosive Liquid N.O.S. **TECHNICAL NAME:** (Contains; Phosphoric Acid)

PRIMARY HAZARD CLASS/DIVISION: 8

UN/NA NUMBER: UN1760 PACKING GROUP: III

**NAERG: 154** 

**OTHER SHIPPING INFORMATION:** All products offered for domestic ground transportation that meet the following Exceptions for Class 8 (corrosive materials) will be packaged and shipped as "Limited Qty".

- (1) For corrosive materials in Packing Group II, inner packagings not over 1.0 L (0.3 gallon) net capacity each for liquids or not over 1.0 kg (2.2 lbs) net capacity each for solids, packed in a strong outer packaging with a gross package weight of 66 lbs or less.
- (2) For corrosive materials in Packing Group III, inner packagings not over 5.0 L (1.3 gallon) net capacity each for liquids or

not over 5.0 kg (11 lbs) net capacity each for solids, packed in a strong outer packaging with a gross package weight of 66 lbs or less.

#### 15. REGULATORY INFORMATION

## **UNITED STATES**

## SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

FIRE: No PRESSURE GENERATING: No REACTIVITY: No ACUTE: Yes CHRONIC: No

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT)

| Chemical Name   | Wt.% | CERCLA<br>RQ |
|-----------------|------|--------------|
| Phosphoric Acid | < 45 | 5,000        |

## TSCA (TOXIC SUBSTANCE CONTROL ACT)

| Chemical Name   | CAS       |
|-----------------|-----------|
| Phosphoric Acid | 7664-38-2 |

CALIFORNIA PROPOSITION 65: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### 16. OTHER INFORMATION

PHYSICAL HAZARD

PREPARED BY: KH **Date Prepared:** 5/22/2015

0


В

#### 2 **HEALTH** 0 **FLAMMABILITY**

**HMIS RATING** 

PERSONAL PROTECTION

## **NFPA CODES**



MANUFACTURER DISCLAIMER: The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification, the information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.