Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 07/01/2026 *Reviewed on 06/30/2026*

1 Identification

· ***Product identifier***

· ***Product name:*** **Blaze**
· ***Other means of identification***

· ***Product number:*** 3150
· ***Relevant identified uses of the substance or mixture and uses advised against***
· ***Product Description:*** Mainline Sewer Maintainer

· ***Details of the supplier of the safety data sheet***
· ***Manufacturer/Supplier:***
Perform Mfg
1624 S. 45th St.
Kansas City, KS 66106
Customer Service: 913-722-1557
E-Mail: sales@performmfg.com
· ***Emergency telephone number:*** Infotrac: US & Canada: 1-800-535-5053 | International 1-352-323-3500

* 2 Hazard(s) identification

· ***Classification of the substance or mixture***

GHS08 Health hazard

Germ cell mutagenicity 2	H341 Suspected of causing genetic defects.
Specific target organ toxicity (single exposure) 1	H370 Causes damage to organs.
Specific target organ toxicity (repeated exposure) 1	H372 Causes damage to organs through prolonged or repeated exposure.

GHS05 Corrosion

Skin corrosion 1A	H314 Causes severe skin burns and eye damage.
Eye damage 1	H318 Causes serious eye damage.

GHS07

Acute toxicity - oral 4	H302 Harmful if swallowed.

· ***Label elements***
· ***GHS label elements*** The product is classified and labeled according to the Globally Harmonized System (GHS).
· ***Hazard pictograms***

GHS05 GHS07 GHS08

· ***Signal word*** Danger

· ***Hazard-determining components of labeling:***
Sodium Hydroxide
Sodium Nitrate

(Contd. on page 2)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 07/01/2026 *Reviewed on 06/30/2026*

Product name: **Blaze**

(Contd. of page 1)

· ***Hazard statements***
Harmful if swallowed.
Causes severe skin burns and eye damage.
Suspected of causing genetic defects.
Causes damage to organs.
Causes damage to organs through prolonged or repeated exposure.
· ***Precautionary statements***
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
If swallowed: Call a poison center/doctor if you feel unwell.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
Get medical advice/attention if you feel unwell.
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· ***Unknown acute toxicity:***
This value refers to knowledge of known, established toxicological or ecotoxicological values.
0 % of the mixture consists of component(s) of unknown toxicity.
· ***Information pertaining to particular dangers for man and environment:***
· ***Classification system:*** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
· ***NFPA ratings (scale 0 - 4)***

Health = 3
Fire = 0
Reactivity = 0

· ***HMIS-ratings (scale 0 - 4)***

Health = *3
Fire = 0
Reactivity = 0

· ***Other hazards***
· ***Results of PBT and vPvB assessment***
· ***PBT:*** Not applicable
· ***vPvB:*** Not applicable
· ***Classification according to (d)(1)(ii) of § 1910.1200***
The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.
· ***Hazards not otherwise classified (HNOC)***
There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

(Contd. on page 3)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 07/01/2026 *Reviewed on 06/30/2026*

Product name: **Blaze**

(Contd. of page 2)

3 Composition/information on ingredients

· ***Chemical characterization: Mixtures***
· ***Description:*** Mixture of the substances listed below with nonhazardous additions.

· ***Dangerous components:***		
CAS: 1310-73-2	Sodium Hydroxide Corrosive to metals 1, H290; Skin corrosion 1A, H314; Acute toxicity - oral 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	45–70%
CAS: 7631-99-4	Sodium Nitrate Oxidizing solids 3, H272; Germ cell mutagenicity 2, H341; Specific target organ toxicity (single exposure) 1, H370; Specific target organ toxicity (repeated exposure) 1, H372; Eye irritation 2B, H320	10–30%
CAS: 7429-90-5 RTECS: BD 0330000	Aluminium Pyrophoric solids 1, H250; Substances and mixtures which, in contact with water, emit flammable gases 2, H261	3–7%

· ***Additional information:***
The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

*

4 First-aid measures

· ***Description of first aid measures***
· ***General information:***
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
· ***After inhalation:***
Supply fresh air; consult doctor in case of complaints.
In case of unconsciousness place patient stably in side position for transportation.
· ***After skin contact:***
Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.
Remove contaminated clothing and wash before reuse.
Seek medical treatment.
Immediately wash with water and soap and rinse thoroughly.
· ***After eye contact:***
Have eyes examined and tested by medical personnel.
If thermal burn occurs, flush area with cold water and get immediate medical attention.
Seek immediate medical attention.
Rinse opened eye for several minutes under running water. Then consult a doctor.
If easy to do so, remove contact lenses if worn.
· ***After swallowing:***
Drink copious amounts of water and provide fresh air. Immediately call a doctor.
Do not induce vomiting; immediately call for medical help.
Get medical attention immediately.
· ***Most important symptoms and effects, both acute and delayed*** No further relevant information available.
· ***Indication of any immediate medical attention and special treatment needed*** Treat symptomatically.

(Contd. on page 4)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 07/01/2026 *Reviewed on 06/30/2026*

Product name: **Blaze**

(Contd. of page 3)

* 5 Fire-fighting measures

· ***Extinguishing media***
· ***Suitable extinguishing agents:***
Use fire fighting measures that suit the environment.
CO_2, sand, extinguishing powder. Do not use water.
· ***For safety reasons unsuitable extinguishing agents:*** Water
· ***Special hazards arising from the substance or mixture***
During heating or in case of fire poisonous gases are produced.
· ***Advice for firefighters***
· ***Protective equipment:***
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

· ***Personal precautions, protective equipment and emergency procedures***
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
· ***For non-emergency personnel*** Use appropriate personal protection equipment (PPE).
· ***For emergency responders***
Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE).
· ***Environmental precautions:*** Do not allow to enter sewers / surface or ground water.
· ***Methods and material for containment and cleaning up:***
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
· ***Protective Action Criteria for Chemicals***
Protective Action Criteria (PACs) are essential components for planning and response to uncontrolled releases of hazardous chemicals.
· ***PAC-1:***
PAC 1: Mild, transient health effects.

1310-73-2	Sodium Hydroxide	0.50 mg/m3
7631-99-4	Sodium Nitrate	3.8 mg/m3

· ***PAC-2:***
PAC 2: Irreversible or other serious health effects that could impair the ability to take protective action.

1310-73-2	Sodium Hydroxide	5.0 mg/m3
7631-99-4	Sodium Nitrate	42 mg/m3

· ***PAC-3:***
PAC 3: Life-threatening health effects.

1310-73-2	Sodium Hydroxide	50 mg/m3
7631-99-4	Sodium Nitrate	250 mg/m3

· ***Reference to other sections***
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

* 7 Handling and storage

· ***Precautions for safe handling***
Thorough dedusting.
Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 5)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 07/01/2026 *Reviewed on 06/30/2026*

Product name: **Blaze**

(Contd. of page 4)

Open and handle receptacle with care.
Avoid contact with skin, eyes and clothing.
Avoid breathing fume/gas/mist/vapors/spray.
Wear protective equipment.

· ***Information about protection against explosions and fires:*** Keep respiratory protective device available.

· ***Conditions for safe storage, including any incompatibilities***
· ***Storage:***
· ***Requirements to be met by storerooms and receptacles:***
Keep container closed when not in use.
Keep in properly labelled containers.
Keep container tightly closed.
Keep out of reach of children.
Store in a cool, dry place.
· ***Information about storage in one common storage facility:*** Not required
· ***Further information about storage conditions:*** Keep receptacle tightly sealed.
· ***Specific end use(s)*** No further relevant information available.

* 8 Exposure controls/personal protection

· ***Control parameters***
· ***Components with limit values that require monitoring at the workplace:***
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.

1310-73-2 Sodium Hydroxide	
PEL	Long-term value: 2 mg/m³
REL	Ceiling limit value: 2 mg/m³
TLV	Ceiling limit value: 2 mg/m³
7429-90-5 Aluminium	
PEL	Long-term value: 15*; 5** mg/m³ *Total dust; ** Respirable fraction
REL	Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f.
TLV	Long-term value: 1* mg/m³ as Al; *as respirable fraction, A4

· ***Regulatory information***
PEL: Guide to Occupational Exposure Values (OSHA PELs)
REL: Guide to Occupational Exposure Values (NIOSH RELs)
TLV: Guide to Occupational Exposure Values (TLV)
· ***Additional information:*** The lists that were valid during the creation of this SDS were used as basis.

· ***Exposure controls***
Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Where acceptable concentrations cannot be maintained by general mechanical ventilation, local exhaust ventilation is recommended.
· ***Appropriate engineering controls*** No further data; see section 7.
· ***Personal protective equipment:***
· ***General protective and hygienic measures:***
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.

(Contd. on page 6)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 07/01/2026 *Reviewed on 06/30/2026*

***Product name:* Blaze**

(Contd. of page 5)

Avoid contact with the eyes and skin.
Facilities storing or utilizing this material or any chemical should be equipped with an eyewash and safety shower.

· ***Breathing equipment:***
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· ***Protection of hands:***

Protective gloves

· ***Material of gloves***
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· ***Penetration time of glove material***
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· ***Eye protection:***

Tightly sealed goggles

· ***Body protection:***

Protective work clothing

· ***Limitation and supervision of exposure into the environment*** None

9 Physical and chemical properties

· ***Information on basic physical and chemical properties***
· ***General Information***

· ***Physical state***	Solid
· ***Color:***	Colored
· ***Odor:***	Characteristic
· ***Odor threshold:***	Not determined
· ***Melting point/Melting range:***	Undetermined
· ***Boiling point/Boiling range:***	600–700 °C (1,112–1,292 °F)
· ***Flammability:***	Not determined
· ***Explosion limits:***	
· ***Lower:***	Not determined
· ***Upper:***	Not determined
· ***Flash point:***	Not applicable
· ***Decomposition temperature:***	Not determined
· ***pH-value at 20 °C (68 °F):***	13–14
· ***Viscosity:***	
· ***Kinematic:***	Not applicable
· ***Dynamic:***	Not applicable
· ***Solubility in / Miscibility with***	
· ***Water:***	Soluble.
· ***Partition coefficient (n-octanol/water):***	Not determined
· ***Vapor pressure:***	Not applicable

(Contd. on page 7)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 07/01/2026 *Reviewed on 06/30/2026*

***Product name:* Blaze**

(Contd. of page 6)

· ***Density at 20 °C (68 °F):***	2.19905 g/cm³ (18.35107 lbs/gal)
· ***Relative density***	Not determined
· ***Bulk density:***	2,199 kg/m³
· ***Vapor density***	Not applicable
· ***Particle characteristics***	Not determined
· ***Other information***	
· ***Appearance:***	
· ***Form:***	Solid / Beads
· ***Important information on protection of health and environment, and on safety.***	
· ***Ignition temperature:***	Product is not self-igniting.
· ***Danger of explosion:***	Product does not present an explosion hazard.
· ***Solvent content:***	
· ***VOC content:***	0.00 % 0.0 g/l / 0.00 lb/gal
· ***Solids content:***	100.0 %
· ***Change in condition***	
· ***Oxidizing properties***	None

* 10 Stability and reactivity

· ***Reactivity***
The product is stable under normal conditions.
No further relevant information available.
· ***Chemical stability*** Stable under normal conditions.
· ***Thermal decomposition / conditions to be avoided:*** No decomposition if used according to specifications.
· ***Possibility of hazardous reactions*** No dangerous reactions known.
· ***Conditions to avoid*** Moisture
· ***Incompatible materials:***
Strong acids
Reducing agents.
Water and moisture
Product will generate large amounts of heat when wetted.
· ***Hazardous decomposition products:*** Thermol decomposition may produce flammable hydrogen gas upon wetting.

11 Toxicological information

· ***Information on toxicological effects***
· ***Acute toxicity:***

· ***LD/LC50 values that are relevant for classification:***		
ATE (Acute Toxicity Estimate)		
Oral	LD50	2,857 mg/kg (Rat)

1310-73-2 Sodium Hydroxide		
Oral	LD50	2,000 mg/kg (Rat)
7631-99-4 Sodium Nitrate		
Oral	LD50	3,236 mg/kg (Rat)

· ***Primary irritant effect:***
· ***on the skin:*** Strong caustic effect on skin and mucous membranes.
· ***on the eye:***
Strong caustic effect.
Strong irritant with the danger of severe eye injury.

(Contd. on page 8)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 07/01/2026 *Reviewed on 06/30/2026*

Product name: **Blaze**

(Contd. of page 7)

· ***Sensitization:*** No sensitizing effects known.
· ***Additional toxicological information:***
The product shows the following dangers according to internally approved calculation methods for preparations:
Corrosive
Irritant
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
· ***Interactive effects*** No interactive effects between components are known.

· ***Carcinogenic categories***

· ***IARC (International Agency for Research on Cancer)***
None of the ingredients is listed.

· ***NTP (National Toxicology Program)***
None of the ingredients is listed.

· ***OSHA-Ca (Occupational Safety & Health Administration)***
None of the ingredients is listed.

· ***Alternative sources for toxicological information*** No non-standard sources for toxicological information were used.

12 Ecological information

· ***Toxicity***

· ***Aquatic toxicity:***	
1310-73-2 Sodium Hydroxide	
EC50	40 mg/kg (daphnia)

· ***Persistence and degradability*** No further relevant information available.
· ***Bioaccumulative potential*** No further relevant information available.
· ***Mobility in soil*** No further relevant information available.
· ***Results of PBT and vPvB assessment***
· ***PBT:*** Not applicable
· ***vPvB:*** Not applicable
· ***Other adverse effects***
· ***Additional ecological information:***
· ***General notes:***
Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
Danger to drinking water if even small quantities leak into the ground.
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

* 13 Disposal considerations

· ***Waste treatment methods***
· ***Recommendation:***
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Observe all federal, state and local environmental regulations when disposing of this material.
· ***Waste disposal key:***
US EPA RCRA waste code D002 (corrosive hazardous wastes). The regulations at 40 CFR section 261.22.

· ***Uncleaned packagings:***
· ***Recommendation:***
Do not reuse empty containers.

(Contd. on page 9)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 07/01/2026 *Reviewed on 06/30/2026*

Product name: **Blaze**

(Contd. of page 8)

Disposal must be made according to official regulations.

· ***Recommended cleansing agent:*** Water, if necessary with cleansing agents.

* 14 Transport information

· ***UN-Number***

· ***DOT, IMDG, IATA*** UN1823

· ***UN proper shipping name***

· ***DOT, IATA*** Sodium hydroxide, solid mixture

· ***IMDG*** SODIUM HYDROXIDE, SOLID mixture

· ***Transport hazard class(es)***

· ***DOT***

· ***Class*** 8 Corrosive substances

· ***Label*** 8

· ***IMDG, IATA***

· ***Class*** 8 Corrosive substances

· ***Label*** 8

· ***Packing group***

· ***DOT, IMDG, IATA*** II

· ***Environmental hazards:*** Not applicable

· ***Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code*** Not applicable

· ***Transport/Additional information:***

· ***DOT***

· ***Quantity limitations*** On passenger aircraft/rail: 15 kg
On cargo aircraft only: 50 kg

· ***Remarks:*** OTHER SHIPPING INFORMATION: All products offered for domestic ground transportation that meet the following exceptions for Class 8 (Corrosive Materials) will be packaged and shipped as "Limited Qty".

(1) For Corrosive Materials in Packing Group II, inner packaging not over 1.0 L (0.3 Gallon) net capacity each for liquids or not over 1.0 kg (2.2 lbs) net capacity each for solids, packed in a strong outer packaging with a gross package weight of 66 lbs or less.

(2) For Corrosive Materials in Packing Group III, inner packaging not over 5.0 L (1.3 Gallons) net capacity each for liquids or not over 5.0 kg (11 lbs) net capacity each for solids, packed in a strong outer packaging with a gross package weight of 66 lbs or less.

(Contd. on page 10)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 07/01/2026 *Reviewed on 06/30/2026*

***Product name:* Blaze**

(Contd. of page 9)

· ***IMDG***

· ***Limited quantities (LQ)***	1 kg
· ***Excepted quantities (EQ)***	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
· ***Special precautions for user***	Warning: Corrosive substances
· ***Hazard identification number (Kemler code):***	80
· ***EMS Number:***	F-A,S-B
· ***Segregation groups***	(SGG18) Alkalis
· ***Stowage Category***	A
· ***Segregation Code***	SG35 Stow "separated from" SGG1-acids
· ***UN "Model Regulation":***	UN 1823 SODIUM HYDROXIDE, SOLID MIXTURE, 8, II

* 15 Regulatory information

· ***Safety, health and environmental regulations/legislation specific for the substance or mixture***

· ***Sara***

· ***Section 355 (extremely hazardous substances):***

None of the ingredients is listed.

· ***Section 313 (Specific toxic chemical listings):***

7429-90-5	Aluminium

· ***TSCA (Toxic Substances Control Act):***

All components have the value ACTIVE.

· ***Hazardous Air Pollutants***

None of the ingredients is listed.

· ***Proposition 65***

· ***Chemicals known to cause cancer:***

None of the ingredients is listed.

· ***Chemicals known to cause reproductive toxicity for females:***

None of the ingredients is listed.

· ***Chemicals known to cause reproductive toxicity for males:***

None of the ingredients is listed.

· ***Chemicals known to cause developmental toxicity:***

None of the ingredients is listed.

· ***New Jersey Right-to-Know List:***

1310-73-2	Sodium Hydroxide
7429-90-5	Aluminium

· ***New Jersey Special Hazardous Substance List:***

1310-73-2	Sodium Hydroxide	CO, R1
7429-90-5	Aluminium	F3, R1

· ***Pennsylvania Right-to-Know List:***

All ingredients are listed.

· ***Pennsylvania Special Hazardous Substance List:***

1310-73-2	Sodium Hydroxide	E
7429-90-5	Aluminium	E

(Contd. on page 11)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 07/01/2026 *Reviewed on 06/30/2026*

Product name: **Blaze**

(Contd. of page 10)

· ***EPA (Environmental Protection Agency)***

None of the ingredients is listed.

· ***TLV (Threshold Limit Value)***

7429-90-5	Aluminium	A4

· ***NIOSH-Ca (National Institute for Occupational Safety and Health)***

None of the ingredients is listed.

· ***PFAS***

None of the ingredients is listed.

· ***Per- and polyfluoroalkyl substances (PFAS)***

None of the ingredients is listed.

· ***GHS label elements*** The product is classified and labeled according to the Globally Harmonized System (GHS).

· ***Hazard pictograms***

GHS05 GHS07 GHS08

· ***Signal word*** Danger

· ***Hazard-determining components of labeling:***
Sodium Hydroxide
Sodium Nitrate

· ***Hazard statements***
Harmful if swallowed.
Causes severe skin burns and eye damage.
Suspected of causing genetic defects.
Causes damage to organs.
Causes damage to organs through prolonged or repeated exposure.

· ***Precautionary statements***
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
If swallowed: Call a poison center/doctor if you feel unwell.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
Get medical advice/attention if you feel unwell.
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· ***Chemical safety assessment:*** A Chemical Safety Assessment has not been carried out.

(Contd. on page 12)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 07/01/2026 *Reviewed on 06/30/2026*

Product name: **Blaze**

(Contd. of page 11)

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· ***SDS created by:*** Access GHS, LLC - 888-363-4870 - Team@access-ghs-sds.com
· ***Date of previous version*** 07/14/2023
· ***Version number of previous version:*** 2
· ***Date of preparation*** 07/01/2026
· ***Abbreviations and acronyms:***
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety and Health
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Pyrophoric solids 1: Pyrophoric solids – Category 1
Substances and mixtures which, in contact with water, emit flammable gases 2: Substances and mixtures which in contact with water emit flammable gases – Category 2
Oxidizing solids 3: Oxidizing solids – Category 3
Corrosive to metals 1: Corrosive to metals – Category 1
Acute toxicity - oral 4: Acute toxicity – Category 4
Skin corrosion 1A: Skin corrosion/irritation – Category 1A
Eye damage 1: Serious eye damage/eye irritation – Category 1
Eye irritation 2B: Serious eye damage/eye irritation – Category 2B
Germ cell mutagenicity 2: Germ cell mutagenicity – Category 2
Specific target organ toxicity (single exposure) 1: Specific target organ toxicity (single exposure) – Category 1
Specific target organ toxicity (repeated exposure) 1: Specific target organ toxicity (repeated exposure) – Category 1
· **** Data compared to the previous version altered.***