Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/29/2026 *Reviewed on 04/29/2026*

1 Identification

· **Product identifier**

· **Trade name: Dominator**
· **Other means of identification**

· **Product number:** 6250
· **Relevant identified uses of the substance or mixture and uses advised against**
· **Product Description:** Cleaner & Degreaser

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
Perform Mfg
1624 S. 45th St.
Kansas City, KS 66106
Customer Service: 913-722-1557
E-Mail: sales@performmfg.com
· **Emergency telephone number:** Infotrac: US & Canada: 1-800-535-5053 | International 1-352-323-3500

2 Hazard(s) identification

· **Classification of the substance or mixture**

GHS05 Corrosion

Corrosive to metals 1	H290 May be corrosive to metals.
Skin corrosion 1C	H314 Causes severe skin burns and eye damage.
Eye damage 1	H318 Causes serious eye damage.

· **Label elements**
· **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
· **Hazard pictograms**

GHS05

· **Signal word** Danger

· **Hazard-determining components of labeling:**
Disodium Metasilicate
Nonylphenol Polyethylene Ethoxylate
COMPLEX ALKYL PHOSPHATE ESTER
· **Hazard statements**
May be corrosive to metals.
Causes severe skin burns and eye damage.
· **Precautionary statements**
Keep only in original packaging.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Wear eye protection / face protection.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.

(Contd. on page 2)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/29/2026 Reviewed on 04/29/2026

Trade name: Dominator

(Contd. of page 1)

Specific treatment (see on this label).
Wash contaminated clothing before reuse.
Absorb spillage to prevent material damage.
Store locked up.
Store in a corrosion resistant container / container with a resistant inner liner.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Unknown acute toxicity:**
This value refers to knowledge of known, established toxicological or ecotoxicological values.
0 % of the mixture consists of component(s) of unknown toxicity.
· **Information pertaining to particular dangers for man and environment:**
· **Classification system:** *NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme*
· **NFPA ratings (scale 0 - 4)**

Health = 3
Fire = 0
Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

*Health = *3*
Fire = 0
Reactivity = 0

· **Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** *Not applicable*
· **vPvB:** *Not applicable*
· **Classification according to (d)(1)(ii) of § 1910.1200**
The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.
· **Hazards not otherwise classified (HNOC)**
There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**
· **Description:** *Mixture of the substances listed below with nonhazardous additions.*

· **Dangerous components:**		
CAS: 111-76-2 *RTECS: KJ 8575000*	*Glycol Ether EB (2-butoxyethanol)* *Acute toxicity - oral 4, H302; Acute toxicity - dermal 4, H312; Acute toxicity - inhalation 4, H332; Skin irritation 2, H315; Eye irritation 2A, H319; Specific target organ toxicity (single exposure) 3, H335-H336; Flammable liquids 4, H227*	*≥5–<10%*
CAS: 6834-92-0	*Disodium Metasilicate* *Skin corrosion 1B, H314; Acute toxicity - oral 4, H302; Specific target organ toxicity (single exposure) 3, H335*	*≥1–<5%*
CAS: 127087-87-0	*Nonylphenol Polyethylene Ethoxylate* *Eye damage 1, H318; Acute toxicity - oral 4, H302; Acute toxicity - inhalation 4, H332*	*≥1–<3%*
CAS: 497-19-8	*Sodium Carbonate* *Eye irritation 2A, H319*	*1–5%*

(Contd. on page 3)

PERFORM MANUFACTURING

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/29/2026 Reviewed on 04/29/2026

Trade name: Dominator

(Contd. of page 2)

CAS: 68130-47-2	COMPLEX ALKYL PHOSPHATE ESTER Skin corrosion 1C, H314; Acute toxicity - dermal 4, H312	≥1–<1.5%
CAS: 1310-58-3 RTECS: TT 2102000	Potassium hydroxide Skin corrosion 1A, H314; Acute toxicity - oral 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	≥0.5–<1%

· **Additional information:**
The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-aid measures

· **Description of first aid measures**
· **General information:** Remove all soiled and contaminated clothing and wash before reuse.
· **After inhalation:**
If not breathing, give artificial respiration using a pocket mask type resuscitator. Call a physician immediately.
Supply fresh air; consult doctor in case of complaints.
· **After skin contact:**
Immediately wash skin with soap and plenty of water for at least 15 minutes.
Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.
· **After eye contact:**
Have eyes examined and tested by medical personnel.
If thermal burn occurs, flush area with cold water and get immediate medical attention.
Rinse opened eye for at least 15 minutes under running water.
If eye irritation occurs, consult a doctor.
If easy to do so, remove contact lenses if worn.
· **After swallowing:**
Rinse mouth out with water.
Do not induce vomiting without medical advice.
If swallowed and symptoms occur, consult a doctor.
· **Most important symptoms and effects, both acute and delayed** No further relevant information available.
· **Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

5 Fire-fighting measures

· **Extinguishing media**
· **Suitable extinguishing agents:**
Use fire fighting measures that suit the environment.
CO_2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
· **For safety reasons unsuitable extinguishing agents:** No further relevant information.
· **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
· **Advice for firefighters**
· **Protective equipment:**
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

* 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
· **For non-emergency personnel** Use appropriate personal protection equipment (PPE).
· **For emergency responders**
Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE).

(Contd. on page 4)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/29/2026 Reviewed on 04/29/2026

Trade name: Dominator

(Contd. of page 3)

· **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers / surface or ground water.
· **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
· **Protective Action Criteria for Chemicals**
Protective Action Criteria (PACs) are essential components for planning and response to uncontrolled releases of hazardous chemicals.
· **PAC-1:**
PAC 1: Mild, transient health effects.

111-76-2	Glycol Ether EB (2-butoxyethanol)	20 ppm
6834-92-0	Disodium Metasilicate	3.8 mg/m3
127087-87-0	Nonylphenol Polyethylene Ethoxylate	12 mg/m3
497-19-8	Sodium Carbonate	7.6 mg/m3
1310-58-3	Potassium hydroxide	0.18 mg/m3
64-02-8	Tetrasodium ethylenediaminetetraacetate	5.3 mg/m3
2836-32-0	Sodium Glycolate	21 ppm
1310-73-2	Sodium hydroxide	0.50 mg/m3

· **PAC-2:**
PAC 2: Irreversible or other serious health effects that could impair the ability to take protective action.

111-76-2	Glycol Ether EB (2-butoxyethanol)	67 ppm
6834-92-0	Disodium Metasilicate	42 mg/m3
127087-87-0	Nonylphenol Polyethylene Ethoxylate	130 mg/m3
497-19-8	Sodium Carbonate	83 mg/m3
1310-58-3	Potassium hydroxide	2.0 mg/m3
64-02-8	Tetrasodium ethylenediaminetetraacetate	59 mg/m3
2836-32-0	Sodium Glycolate	230 ppm
1310-73-2	Sodium hydroxide	5.0 mg/m3

· **PAC-3:**
PAC 3: Life-threatening health effects.

111-76-2	Glycol Ether EB (2-butoxyethanol)	700 ppm
6834-92-0	Disodium Metasilicate	250 mg/m3
127087-87-0	Nonylphenol Polyethylene Ethoxylate	790 mg/m3
497-19-8	Sodium Carbonate	500 mg/m3
1310-58-3	Potassium hydroxide	54 mg/m3
64-02-8	Tetrasodium ethylenediaminetetraacetate	350 mg/m3
2836-32-0	Sodium Glycolate	1400 ppm
1310-73-2	Sodium hydroxide	50 mg/m3

· **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

· **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

(Contd. on page 5)

PERFORM MANUFACTURING

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/29/2026 Reviewed on 04/29/2026

Trade name: Dominator

(Contd. of page 4)

· **Information about protection against explosions and fires:** Keep respiratory protective device available.

· **Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:**
Keep container closed when not in use.
Keep out of reach of children.
Store in a cool, dry place away from sparks and flame.
Store in the original container.
· **Information about storage in one common storage facility:** Not required
· **Further information about storage conditions:** Keep receptacle tightly sealed.
· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Control parameters**
· **Components with limit values that require monitoring at the workplace:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

111-76-2 Glycol Ether EB (2-butoxyethanol)	
PEL	Long-term value: 240 mg/m³, 50 ppm Skin
REL	Long-term value: 24 mg/m³, 5 ppm Skin
TLV	Long-term value: 97 mg/m³, 20 ppm BEI, A3
1310-58-3 Potassium hydroxide	
REL	Ceiling limit value: 2 mg/m³
TLV	Ceiling limit value: 2 mg/m³

· **Regulatory information**
PEL: Guide to Occupational Exposure Values (OSHA PELs)
REL: Guide to Occupational Exposure Values (NIOSH RELs)
TLV: Guide to Occupational Exposure Values (TLV)

· **Ingredients with biological limit values:**	
111-76-2 Glycol Ether EB (2-butoxyethanol)	
BEI	200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid (BAA) (with hydrolysis)

· **Regulatory information** BEI: Guide to Occupational Exposure Values (BEI)
· **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

· **Exposure controls**
Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Where acceptable concentrations cannot be maintained by general mechanical ventilation, local exhaust ventilation is recommended.
· **Appropriate engineering controls** No further data; see section 7.
· **Personal protective equipment:**
· **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

(Contd. on page 6)

Date of issue: 04/29/2026 Reviewed on 04/29/2026

Trade name: Dominator

(Contd. of page 5)

· **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
· **Protection of hands:**

Protective gloves

· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye protection:**

Tightly sealed goggles

· **Body protection:**

Protective work clothing

· **Limitation and supervision of exposure into the environment**
Keep away from drains, surface and ground waters.
Avoid release into the environment.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**
· **General Information**

· **Physical state**	Liquid
· **Color:**	Pink
· **Odor:**	Fragrant
· **Odor threshold:**	Not determined
· **Melting point/Melting range:**	Undetermined
· **Boiling point/Boiling range:**	100 °C (212 °F)
· **Flammability:**	Not applicable
· **Explosion limits:**	
· **Lower:**	Not determined
· **Upper:**	Not determined
· **Flash point:**	Not applicable
· **Decomposition temperature:**	Not determined
· **pH-value:**	Not determined
· **Viscosity:**	
· **Kinematic:**	Not determined
· **Dynamic:**	Not determined
· **Solubility in / Miscibility with**	
· **Water:**	Fully miscible.
· **Partition coefficient (n-octanol/water):**	Not determined
· **Vapor pressure at 20 °C (68 °F):**	23 hPa (17.3 mm Hg)
· **Density at 20 °C (68 °F):**	1.053 g/cm³ (8.78729 lbs/gal)
· **Relative density**	Not determined

(Contd. on page 7)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/29/2026 Reviewed on 04/29/2026

Trade name: Dominator

(Contd. of page 6)

· **Bulk density:**	988–990 kg/m³
· **Vapor density**	Not determined
· **Particle characteristics**	Not applicable
· **Other information**	
· **Appearance:**	
· **Form:**	Liquid
· **Important information on protection of health and environment, and on safety.**	
· **Ignition temperature:**	Product is not self-igniting.
· **Danger of explosion:**	Product does not present an explosion hazard.
· **Solvent content:**	
· **Organic solvents:**	9.5 %
· **VOC content:**	9.51 % 100.1 g/l / 0.84 lb/gal
· **Change in condition**	
· **Oxidizing properties**	None
· **Evaporation rate**	Not determined

10 Stability and reactivity

· **Reactivity**
The product is stable under normal conditions.
No further relevant information available.
· **Chemical stability** Stable under normal conditions.
· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
· **Possibility of hazardous reactions** No dangerous reactions known.
· **Conditions to avoid** No further relevant information available.
· **Incompatible materials:** No further relevant information available.
· **Hazardous decomposition products:** No dangerous decomposition products known.

* 11 Toxicological information

· **Information on toxicological effects**
· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**		
ATE (Acute Toxicity Estimate)		
Oral	LD50	9,419 mg/kg
Dermal	LD50	>3,969 mg/kg
Inhalative	LC50/4 h	27–28.9 mg/l

111-76-2 Glycol Ether EB (2-butoxyethanol)		
Oral	LD50	1,200 mg/kg (ATE) 1,480 mg/kg (Rat)
Dermal	LD50	400 mg/kg (rab)
Inhalative	LC50/4 h	3 mg/l (ATE)
6834-92-0 Disodium Metasilicate		
Oral	LD50	1,280 mg/kg (Rat)
127087-87-0 Nonylphenol Polyethylene Ethoxylate		
Oral	LD50	16,000 mg/kg (Rat)
Dermal	LD50	4,490 mg/kg (Rabbit) 24 hr occluded contact
Inhalative	LC50/96 hours	3.8–6.2 Mg/l (pim)

(Contd. on page 8)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/29/2026 Reviewed on 04/29/2026

Trade name: Dominator

(Contd. of page 7)

497-19-8 Sodium Carbonate		
Oral	LD50	4,090 mg/kg (Rat)
68130-47-2 COMPLEX ALKYL PHOSPHATE ESTER		
Oral	LD50	>2,500 mg/kg (Rat)
Dermal	LD50	>1,000 mg/kg (Rat)
Inhalative	LC50/96 hours	5.5 Mg/l (trout)
1310-58-3 Potassium hydroxide		
Oral	LD50	273 mg/kg (Rat)

· **Primary irritant effect:**
· **on the skin:** No irritant effect.
· **on the eye:** Strong irritant with the danger of severe eye injury.
· **Sensitization:** No sensitizing effects known.
· **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant
· **Interactive effects** No interactive effects between components are known.

· **Carcinogenic categories**
· **IARC (International Agency for Research on Cancer)**
Group 1 - Carcinogenic to humans
Group 2A - Probably carcinogenic to humans
Group 2B - Possibly carcinogenic to humans
Group 3 - Not classifiable as to its carcinogenicity to humans
Group 4 - Probably not carcinogenic to humans

111-76-2	Glycol Ether EB (2-butoxyethanol)	3

· **NTP (National Toxicology Program)**
None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**
None of the ingredients is listed.

· **Alternative sources for toxicological information**
No non-standard sources for toxicological information were used.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**	
111-76-2 Glycol Ether EB (2-butoxyethanol)	
EC50	1,815 mg/kg (Water flea)
127087-87-0 Nonylphenol Polyethylene Ethoxylate	
EC50	1,000 mg/kg (daphnia)

· **Persistence and degradability** No further relevant information available.
· **Bioaccumulative potential** No further relevant information available.
· **Mobility in soil** No further relevant information available.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable
· **vPvB:** Not applicable
· **Other adverse effects**
· **Additional ecological information:**
· **General notes:**
Water hazard class 3 (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.

(Contd. on page 9)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/29/2026 Reviewed on 04/29/2026

Trade name: Dominator

(Contd. of page 8)

Danger to drinking water if even extremely small quantities leak into the ground.

13 Disposal considerations

· **Waste treatment methods**
· **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Observe all federal, state and local environmental regulations when disposing of this material.

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

* 14 Transport information

· **UN-Number**
· **DOT, IMDG, IATA** Non-Regulated Material
· **UN proper shipping name**
· **DOT, IMDG, IATA** Non-Regulated Material
· **Transport hazard class(es)**

· **DOT, ADN, IMDG, IATA**
· **Class** Non-Regulated Material
· **Packing group**
· **DOT, IMDG, IATA** Non-Regulated Material
· **Environmental hazards:** Not applicable
· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable
· **Special precautions for user** Not applicable
· **UN "Model Regulation":** Non-Regulated Material

* 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.

· **TSCA (Toxic Substances Control Act):**		
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
111-76-2	Glycol Ether EB (2-butoxyethanol)	ACTIVE
6834-92-0	Disodium Metasilicate	ACTIVE
127087-87-0	Nonylphenol Polyethylene Ethoxylate	ACTIVE
497-19-8	Sodium Carbonate	ACTIVE
68130-47-2	COMPLEX ALKYL PHOSPHATE ESTER	ACTIVE
1310-58-3	Potassium hydroxide	ACTIVE
8008-51-3	camphor wood oil	ACTIVE
64-02-8	Tetrasodium ethylenediaminetetraacetate	ACTIVE
2836-32-0	Sodium Glycolate	ACTIVE
1310-73-2	Sodium hydroxide	ACTIVE
5064-31-3	Trisodium nitrilotriacetate	ACTIVE

· **Hazardous Air Pollutants**
None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**
None of the ingredients is listed.

(Contd. on page 10)

PERFORM MANUFACTURING

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/29/2026 *Reviewed on 04/29/2026*

Trade name: Dominator

(Contd. of page 9)

· **Chemicals known to cause reproductive toxicity for females:**
None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**
None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**
None of the ingredients is listed.

· **New Jersey Right-to-Know List:**	
111-76-2	Glycol Ether EB (2-butoxyethanol)
1310-58-3	Potassium hydroxide
8008-51-3	camphor wood oil
1310-73-2	Sodium hydroxide

· **New Jersey Special Hazardous Substance List:**		
111-76-2	Glycol Ether EB (2-butoxyethanol)	CA, F2
1310-58-3	Potassium hydroxide	CO, R1
1310-73-2	Sodium hydroxide	CO, R1

· **Pennsylvania Right-to-Know List:**	
111-76-2	Glycol Ether EB (2-butoxyethanol)
1310-58-3	Potassium hydroxide
8008-51-3	camphor wood oil
1310-73-2	Sodium hydroxide

· **Pennsylvania Special Hazardous Substance List:**		
1310-58-3	Potassium hydroxide	E
1310-73-2	Sodium hydroxide	E

· **EPA (Environmental Protection Agency)**		
111-76-2	Glycol Ether EB (2-butoxyethanol)	NL

· **TLV (Threshold Limit Value)**		
111-76-2	Glycol Ether EB (2-butoxyethanol)	A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**
None of the ingredients is listed.

· **PFAS**
None of the ingredients is listed.

· **Per- and polyfluoroalkyl substances (PFAS)**
None of the ingredients is listed.

· **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
· **Hazard pictograms**

GHS05

· **Signal word** Danger

· **Hazard-determining components of labeling:**
Disodium Metasilicate
Nonylphenol Polyethylene Ethoxylate
COMPLEX ALKYL PHOSPHATE ESTER

(Contd. on page 11)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/29/2026 *Reviewed on 04/29/2026*

Trade name: Dominator

(Contd. of page 10)

· ***Hazard statements***
May be corrosive to metals.
Causes severe skin burns and eye damage.
· ***Precautionary statements***
Keep only in original packaging.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Wear eye protection / face protection.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
Absorb spillage to prevent material damage.
Store locked up.
Store in a corrosion resistant container / container with a resistant inner liner.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· ***Chemical safety assessment:*** *A Chemical Safety Assessment has not been carried out.*

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· ***SDS created by:*** *Access GHS, LLC - 888-363-4870 - Team@access-ghs-sds.com*
· ***Date of previous version*** *05/07/2019*
· ***Version number of previous version:*** *1*
· ***Date of preparation*** *04/29/2026*
· ***Abbreviations and acronyms:***
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety and Health
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Flammable liquids 4: Flammable liquids – Category 4
Corrosive to metals 1: Corrosive to metals – Category 1
Acute toxicity - oral 4: Acute toxicity – Category 4
Skin corrosion 1A: Skin corrosion/irritation – Category 1A
Skin corrosion 1B: Skin corrosion/irritation – Category 1B
Skin corrosion 1C: Skin corrosion/irritation – Category 1C
Skin irritation 2: Skin corrosion/irritation – Category 2
Eye damage 1: Serious eye damage/eye irritation – Category 1
Eye irritation 2A: Serious eye damage/eye irritation – Category 2A
Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3
· **** Data compared to the previous version altered.***