# Safety Data Sheet

**OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.**

Date of issue: 05/15/2026 Reviewed on 05/15/2026

## * 1 Identification

· **Product identifier**

· **Trade name: Eliminator Holiday Morning**
· **Other means of identification**

· **Product number:** 7390
· **Relevant identified uses of the substance or mixture and uses advised against**
· **Product Description:** Malodor Neutralizer

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
Perform Mfg
1624 S. 45th St.
Kansas City, KS 66106
Customer Service: 913-722-1557
E-Mail: sales@performmfg.com
· **Emergency telephone number:** Infotrac: US & Canada: 1-800-535-5053 | International 1-352-323-3500

## * 2 Hazard(s) identification

· **Classification of the substance or mixture**

GHS08 Health hazard

Aspiration hazard 1 H304 May be fatal if swallowed and enters airways.

GHS07

Sensitization - skin 1 H317 May cause an allergic skin reaction.

Flammable liquids 4 H227 Combustible liquid.

· **Label elements**
· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
· **Hazard pictograms**

GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**
Distillates (petroleum), hydrotreated light
alpha-Pinene
Beta-Caryophyllene
beta-Pinene
Fir balsam
2,4-DIMETHYL-3-CYCLOHEXEN-1-CARBOXALDEHYDE
Eugenol
Citral
ACETYL CEDRENE
· **Hazard statements**
Combustible liquid.

(Contd. on page 2)

# Safety Data Sheet

**OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.**

Date of issue: 05/15/2026 Reviewed on 05/15/2026

**Trade name: Eliminator Holiday Morning**

(Contd. of page 1)

May cause an allergic skin reaction.
May be fatal if swallowed and enters airways.

· **Precautionary statements**
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
If swallowed: Immediately call a poison center/doctor.
Specific treatment (see on this label).
Do NOT induce vomiting.
If on skin: Wash with plenty of water.
Take off contaminated clothing and wash it before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
In case of fire: Use $CO_2$, powder or water spray to extinguish.
Store in a well-ventilated place.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Unknown acute toxicity:**
This value refers to knowledge of known, established toxicological or ecotoxicological values.
0 % of the mixture consists of component(s) of unknown toxicity.

· **Information pertaining to particular dangers for man and environment:**

· **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

· **NFPA ratings (scale 0 - 4)**

Health = 0
Fire = 2
Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

Health = *0
Fire = 2
Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable

· **vPvB:** Not applicable

· **Classification according to (d)(1)(ii) of § 1910.1200**
The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· **Hazards not otherwise classified (HNOC)**
There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

## * 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

| · **Dangerous components:** | | |
|---|---|---|
| CAS: 64742-47-8 | Distillates (petroleum), hydrotreated light<br>Flammable liquids 3, H226; Aspiration hazard 1, H304 | 80–100% |

(Contd. on page 3)

# Safety Data Sheet

**OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.**

Date of issue: 05/15/2026 Reviewed on 05/15/2026

**Trade name: Eliminator Holiday Morning**

(Contd. of page 2)

| | | |
|---|---|---|
| CAS: 26266-58-0 | Sorbitan Trioleate<br>Skin irritation 2, H315; Eye irritation 2A, H319 | ≥3–≤7% |
| CAS: 125-12-2 | Isobornyl Acetate<br>Flammable liquids 4, H227 | ≥1–≤5% |
| CAS: 120-51-4<br>RTECS: DG 4200000 | Benzyl Benzoate<br>Acute toxicity - oral 4, H302 | ≥0.5–≤1.5% |
| CAS: 8024-15-5 | Fir balsam<br>Skin irritation 2, H315; Sensitization - skin 1, H317 | ≥0.1–<1% |
| CAS: 68039-49-6 | 2,4-DIMETHYL-3-CYCLOHEXEN-1-CARBOXALDEHYDE<br>Sensitization - skin 1, H317; Flammable liquids 4, H227 | ≥0.1–<1% |
| CAS: 80-56-8 | alpha-Pinene<br>Flammable liquids 3, H226; Aspiration hazard 1, H304; Skin irritation 2, H315; Sensitization - skin 1, H317 | ≥0.1–<1% |
| CAS: 93-08-3<br>RTECS: AL 2988000 | Methyl beta-naphthyl ketone<br>Carcinogenicity 1B, H350; Acute toxicity - oral 4, H302 | ≥0.1–≤1% |
| CAS: 97-53-0 | Eugenol<br>Acute toxicity - oral 4, H302; Skin irritation 2, H315; Sensitization - skin 1, H317 | ≥0.1–<1% |
| CAS: 127-91-3 | beta-Pinene<br>Flammable liquids 3, H226; Aspiration hazard 1, H304; Skin irritation 2, H315; Sensitization - skin 1, H317 | ≥0.1–<1% |
| CAS: 5392-40-5<br>RTECS: RG 5075000 | Citral<br>Skin irritation 2, H315; Sensitization - skin 1, H317 | ≥0.1–<1% |
| CAS: 5471-51-2 | 4-(p-Hydroxyphenyl)-2-butanone<br>Acute toxicity - oral 3, H301 | ≥0–≤1% |
| CAS: 5989-27-5<br>RTECS: GW 6360000 | d-Limonene<br>Flammable liquids 3, H226; Aspiration hazard 1, H304; Skin irritation 2, H315; Sensitization - skin 1B, H317 | ≥0.1–<1% |
| CAS: 32388-55-9 | ACETYL CEDRENE<br>Sensitization - skin 1, H317 | ≥0.1–<1% |

· **Additional information:**
The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

## * 4 First-aid measures

· **Description of first aid measures**
· **General information:**
If symptoms persist, call a physician.
Immediately remove any clothing soiled by the product.
· **After inhalation:**
If not breathing, give artificial respiration using a pocket mask type resuscitator. Call a physician immediately.
If irritation occurs, consult a doctor.
In case of unconsciousness place patient stably in side position for transportation.
· **After skin contact:**
Wash with soap and water.
Immediately wash with water and soap and rinse thoroughly.
If skin irritation occurs, consult a doctor.
· **After eye contact:**
Rinse opened eye under running water.

(Contd. on page 4)

# Safety Data Sheet

**OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.**

Date of issue: 05/15/2026 Reviewed on 05/15/2026

**Trade name: Eliminator Holiday Morning**

(Contd. of page 3)

If eye irritation occurs, consult a doctor.

· **After swallowing:**
Seek medical treatment.
Do not induce vomiting.
Never give anything by mouth to an unconscious person.
Rinse mouth out with water.
If vomiting ocurrs, the head should be kept low so that the vomit does not enter the lungs (aspiration). Once the vomiting ceases, place the person in the recovery position with the legs slightly raised.

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

## 5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:** CO2, sand, extinguishing powder. Do not use water.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **Special hazards arising from the substance or mixture**
Combustible liquid. Vapors can travel to a source of ignition and flash back.
Explosive mixtures may occur at temperatures at or above flashpoint.

· **Advice for firefighters**

· **Protective equipment:**
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

## * 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**
Handle in accordance with good industrial hygiene and safety practice.

· **For non-emergency personnel** Use appropriate personal protection equipment (PPE).

· **For emergency responders**
Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE).

· **Environmental precautions:** Do not allow to enter sewers / surface or ground water.

· **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Absorb and/or contain spill with inert material, then place in suitable container. Do not take up in combustible material such as: saw dust or cellulosic material.

· **Protective Action Criteria for Chemicals**
Protective Action Criteria (PACs) are essential components for planning and response to uncontrolled releases of hazardous chemicals.

· **PAC-1:**
PAC 1: Mild, transient health effects.

| | | |
|---|---|---|
| 120-51-4 | Benzyl Benzoate | 5.1 mg/m3 |
| 105-53-3 | Diethyl Malonate | 47 mg/m3 |
| 5989-27-5 | d-Limonene | 15 ppm |

· **PAC-2:**
PAC 2: Irreversible or other serious health effects that could impair the ability to take protective action.

| | | |
|---|---|---|
| 120-51-4 | Benzyl Benzoate | 56 mg/m3 |
| 105-53-3 | Diethyl Malonate | 520 mg/m3 |
| 5989-27-5 | d-Limonene | 67 ppm |

(Contd. on page 5)

# Safety Data Sheet

**OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.**

Date of issue: 05/15/2026 Reviewed on 05/15/2026

**Trade name: Eliminator Holiday Morning**

(Contd. of page 4)

· **PAC-3:**
PAC 3: Life-threatening health effects.

| | | |
|---|---|---|
| 120-51-4 | Benzyl Benzoate | 340 mg/m3 |
| 105-53-3 | Diethyl Malonate | 3100 mg/m3 |
| 5989-27-5 | d-Limonene | 170 ppm |

· **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

## * 7 Handling and storage

· **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:**
Store in a cool, dry place away from sparks and flame.
Keep out of reach of children.
Keep container closed when not in use.
Keep in properly labelled containers.
· **Information about storage in one common storage facility:** Not required
· **Further information about storage conditions:** Keep receptacle tightly sealed.
· **Specific end use(s)** No further relevant information available.

## * 8 Exposure controls/personal protection

· **Control parameters**
· **Components with limit values that require monitoring at the workplace:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

| | |
|---|---|
| **64742-47-8 Distillates (petroleum), hydrotreated light** | |
| PEL | Short-term value: 5 mg/m³ |
| **80-56-8 alpha-Pinene** | |
| TLV | Long-term value: 20 ppm<br>DSEN, A4 |
| **127-91-3 beta-Pinene** | |
| TLV | Long-term value: 20 ppm<br>DSEN, A4 |
| **5392-40-5 Citral** | |
| TLV | Long-term value: 32* mg/m³, 5* ppm<br>Skin; DSEN; *inh. fraction + vapor, A4 |
| **5989-27-5 d-Limonene** | |
| TLV | Long-term value: 3 ppm<br>DSEN |
| TWA | Short-term value: 10 mg/m³ |

(Contd. on page 6)

# Safety Data Sheet

**OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.**

Date of issue: 05/15/2026 Reviewed on 05/15/2026

**Trade name: Eliminator Holiday Morning**

(Contd. of page 5)

· **Regulatory information**
PEL: Guide to Occupational Exposure Values (OSHA PELs)
TLV: Guide to Occupational Exposure Values (TLV)

| · **Ingredients with biological limit values:** | |
|---|---|
| **93-08-3 Methyl beta-naphthyl ketone** | |
| BEI | 2.5 µg/L<br>Medium: urine<br>Time: End of shift at end of workweek<br>Parameter: 1-Hydroxypyrene<br><br>2.5 µg/L<br>Medium: urine<br>Time: End of shift at end of workweek<br>Parameter: 3-Hydroxybenzo (a)pyrene |

· **Regulatory information** BEI: Guide to Occupational Exposure Values (BEI)
· **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

· **Exposure controls**
Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Where acceptable concentrations cannot be maintained by general mechanical ventilation, local exhaust ventilation is recommended.
· **Appropriate engineering controls** No further data; see section 7.
· **Personal protective equipment:**
· **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
· **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
· **Protection of hands:**

Protective gloves

· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye protection:**

Goggles recommended during refilling.

· **Limitation and supervision of exposure into the environment**
Keep away from drains, surface and ground waters.
Avoid release into the environment.

(Contd. on page 7)

# Safety Data Sheet

**OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.**

*Date of issue: 05/15/2026* *Reviewed on 05/15/2026*

**Trade name: Eliminator Holiday Morning**

(Contd. of page 6)

## * 9 Physical and chemical properties

| | |
|---|---|
| · **Information on basic physical and chemical properties** | |
| · **General Information** | |
| · **Physical state** | Liquid |
| · **Color:** | Clear |
| · **Odor:** | Characteristic |
| · **Odor threshold:** | Not determined |
| · **Melting point/Melting range:** | Undetermined |
| · **Boiling point/Boiling range:** | 175 °C (347 °F) |
| · **Flammability:** | Not applicable |
| · **Explosion limits:** | |
| · **Lower:** | 0.5 Vol % |
| · **Upper:** | 6.5 Vol % |
| · **Flash point:** | 67 °C (152.6 °F) (Closed Cup) |
| · **Auto igniting:** | 210 °C (410 °F) |
| · **Decomposition temperature:** | Not determined |
| · **pH-value:** | Not determined |
| · **Viscosity:** | |
| · **Kinematic:** | Not determined |
| · **Dynamic:** | Not determined |
| · **Solubility in / Miscibility with** | |
| · **Water:** | Not miscible or difficult to mix. |
| · **Partition coefficient (n-octanol/water):** | Not determined |
| · **Vapor pressure at 20 °C (68 °F):** | 2 hPa (1.5 mm Hg) |
| · **Density at 20 °C (68 °F):** | 1 g/cm³ (8.345 lbs/gal) |
| · **Relative density** | Not determined |
| · **Vapor density** | Not determined |
| · **Particle characteristics** | Not applicable |
| · **Other information** | |
| · **Appearance:** | |
| · **Form:** | Liquid |
| · **Important information on protection of health and environment, and on safety.** | |
| · **Ignition temperature:** | Product is not self-igniting. |
| · **Danger of explosion:** | Not determined |
| · **Solvent content:** | |
| · **Organic solvents:** | 87.9–88 % |
| · **VOC content:** | 87.88–87.99 %<br>879.9 g/l / 7.34 lb/gal |
| · **Change in condition** | |
| · **Oxidizing properties** | None |
| · **Evaporation rate** | Not determined |

## * 10 Stability and reactivity

· **Reactivity**
The product is stable under normal conditions.
No further relevant information available.
· **Chemical stability** Stable under normal conditions.
· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
· **Possibility of hazardous reactions** No dangerous reactions known.

(Contd. on page 8)

# Safety Data Sheet

**OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.**

*Date of issue: 05/15/2026* *Reviewed on 05/15/2026*

***Trade name: Eliminator Holiday Morning***

(Contd. of page 7)

· ***Conditions to avoid*** *Heat, flame and ignition sources.*
· ***Incompatible materials:*** *Strong oxidizing agents.*
· ***Hazardous decomposition products:*** *No dangerous decomposition products known.*

## * 11 Toxicological information

· ***Information on toxicological effects***
· ***Acute toxicity:***

| · ***LD/LC50 values that are relevant for classification:*** | | |
|---|---|---|
| ***ATE (Acute Toxicity Estimate)*** | | |
| Oral | LD50 | 51,886–209,094 mg/kg |

| ***64742-47-8 Distillates (petroleum), hydrotreated light*** | | |
|---|---|---|
| Oral | LD50 | >5,000 mg/kg (Rat) |
| Dermal | LD50 | >2,000 mg/kg (Rabbit) |
| ***125-12-2 Isobornyl Acetate*** | | |
| Oral | LD50 | 10,000 mg/kg (Rat) |
| Dermal | LD50 | 20,000 mg/kg (Rabbit) |
| ***120-51-4 Benzyl Benzoate*** | | |
| Oral | LD50 | 1,700 mg/kg (Rat) |
| Dermal | LD50 | 4,000 mg/kg (Rabbit) |
| ***68039-49-6 2,4-DIMETHYL-3-CYCLOHEXEN-1-CARBOXALDEHYDE*** | | |
| Oral | LD50 | >3,100 mg/kg (Rat) |
| Dermal | LD50 | 5,000 mg/kg (Rabbit) |
| ***93-08-3 Methyl beta-naphthyl ketone*** | | |
| Oral | LD50 | 599 mg/kg (mouse) |
| ***97-53-0 Eugenol*** | | |
| Oral | LD50 | 1,930 mg/kg (Rat) |
| ***5392-40-5 Citral*** | | |
| Oral | LD50 | 4,960 mg/kg (Rat) |
| Dermal | LD50 | 2,250 mg/kg (Rabbit) |
| ***5989-27-5 d-Limonene*** | | |
| Oral | LD50 | 4,400 mg/kg (Rat) |

· ***Primary irritant effect:***
· ***on the skin:*** *No irritant effect.*
· ***on the eye:*** *No irritating effect.*
· ***Sensitization:*** *Sensitization possible through skin contact.*
· ***Additional toxicological information:***
*The product shows the following dangers according to internally approved calculation methods for preparations:*
*Irritant*
· ***Interactive effects*** *No interactive effects between components are known.*

· ***Carcinogenic categories***
· ***IARC (International Agency for Research on Cancer)***
*Group 1 - Carcinogenic to humans*
*Group 2A - Probably carcinogenic to humans*
*Group 2B - Possibly carcinogenic to humans*
*Group 3 - Not classifiable as to its carcinogenicity to humans*
*Group 4 - Probably not carcinogenic to humans*

(Contd. on page 9)

# Safety Data Sheet

**OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.**

Date of issue: 05/15/2026 Reviewed on 05/15/2026

**Trade name: Eliminator Holiday Morning**

(Contd. of page 8)

| | | |
|---|---|---|
| 97-53-0 | Eugenol | 3 |
| 5989-27-5 | d-Limonene | 3 |

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Alternative sources for toxicological information** No non-standard sources for toxicological information were used.

## * 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

**64742-47-8 Distillates (petroleum), hydrotreated light**

| | |
|---|---|
| EC50 | 25 mg/kg (trout)<br>OECD Test Guideline 203, 96 hour, Static Test |

**5989-27-5 d-Limonene**

| | |
|---|---|
| EC50 | 0.36 mg/kg (daphnia) |

· **Persistence and degradability** No further relevant information available.
· **Bioaccumulative potential** No further relevant information available.
· **Mobility in soil** No further relevant information available.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable
· **vPvB:** Not applicable
· **Other adverse effects**
· **Additional ecological information:**
· **General notes:**
Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.

## * 13 Disposal considerations

· **Waste treatment methods**
· **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Observe all federal, state and local environmental regulations when disposing of this material.
· **Waste disposal key:** US EPA RCRA waste code D001 (ignitability characteristic).

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

· **UN-Number**
· **DOT, IMDG, IATA** Non-Regulated Material
· **UN proper shipping name**
· **DOT, IMDG, IATA** Non-Regulated Material
· **Transport hazard class(es)**

· **DOT, ADN, IMDG, IATA**
· **Class** Non-Regulated Material

(Contd. on page 10)

# Safety Data Sheet

**OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.**

Date of issue: 05/15/2026 Reviewed on 05/15/2026

**Trade name: Eliminator Holiday Morning**

(Contd. of page 9)

· **Packing group**
· **DOT, IMDG, IATA** Non-Regulated Material
· **Environmental hazards:** Not applicable
· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable
· **Special precautions for user** Not applicable
· **UN "Model Regulation":** Non-Regulated Material

## * 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **TSCA (Toxic Substances Control Act):**
All components have the value ACTIVE.

· **Hazardous Air Pollutants**

| | |
|---|---|
| 93-08-3 | Methyl beta-naphthyl ketone |

· **Proposition 65**

· **Chemicals known to cause cancer:**
None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**
None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**
None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**
None of the ingredients is listed.

· **New Jersey Right-to-Know List:**

| | |
|---|---|
| 105-53-3 | Diethyl Malonate |
| 80-56-8 | alpha-Pinene |

· **New Jersey Special Hazardous Substance List:**

| | | |
|---|---|---|
| 80-56-8 | alpha-Pinene | F3 |

· **Pennsylvania Right-to-Know List:**

| | |
|---|---|
| 80-56-8 | alpha-Pinene |
| 928-96-1 | cis-3-Hexenol |

· **Pennsylvania Special Hazardous Substance List:**
None of the ingredients is listed.

· **EPA (Environmental Protection Agency)**
None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

| | | |
|---|---|---|
| 80-56-8 | alpha-Pinene | A4 |
| 127-91-3 | beta-Pinene | A4 |

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**
None of the ingredients is listed.

· **PFAS**
None of the ingredients is listed.

· **Per- and polyfluoroalkyl substances (PFAS)**
None of the ingredients is listed.

(Contd. on page 11)

# Safety Data Sheet

**OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.**

*Date of issue: 05/15/2026* *Reviewed on 05/15/2026*

***Trade name: Eliminator Holiday Morning***

(Contd. of page 10)

· ***GHS label elements*** *The product is classified and labeled according to the Globally Harmonized System (GHS).*
· ***Hazard pictograms***

GHS07 GHS08

· ***Signal word*** *Danger*

· ***Hazard-determining components of labeling:***
*Distillates (petroleum), hydrotreated light*
*alpha-Pinene*
*Beta-Caryophyllene*
*beta-Pinene*
*Fir balsam*
*2,4-DIMETHYL-3-CYCLOHEXEN-1-CARBOXALDEHYDE*
*Eugenol*
*Citral*
*ACETYL CEDRENE*
· ***Hazard statements***
*Combustible liquid.*
*May cause an allergic skin reaction.*
*May be fatal if swallowed and enters airways.*
· ***Precautionary statements***
*Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.*
*Avoid breathing dust/fume/gas/mist/vapors/spray*
*Contaminated work clothing must not be allowed out of the workplace.*
*Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.*
*If swallowed: Immediately call a poison center/doctor.*
*Specific treatment (see on this label).*
*Do NOT induce vomiting.*
*If on skin: Wash with plenty of water.*
*Take off contaminated clothing and wash it before reuse.*
*If skin irritation or rash occurs: Get medical advice/attention.*
*In case of fire: Use CO2, powder or water spray to extinguish.*
*Store in a well-ventilated place.*
*Store locked up.*
*Dispose of contents/container in accordance with local/regional/national/international regulations.*
· ***Chemical safety assessment:*** *A Chemical Safety Assessment has not been carried out.*

## 16 Other information

*The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.*

· ***SDS created by:*** *Access GHS, LLC - 888-363-4870 - Team@access-ghs-sds.com*
· ***Date of previous version*** *07/20/2023*
· ***Date of preparation*** *05/15/2026*
· ***Abbreviations and acronyms:***
*IMDG: International Maritime Code for Dangerous Goods*
*DOT: US Department of Transportation*
*IATA: International Air Transport Association*
*EINECS: European Inventory of Existing Commercial Chemical Substances*

(Contd. on page 12)

# Safety Data Sheet

**OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.**

*Date of issue: 05/15/2026* *Reviewed on 05/15/2026*

***Trade name: Eliminator Holiday Morning***

(Contd. of page 11)

*ELINCS: European List of Notified Chemical Substances*
*CAS: Chemical Abstracts Service (division of the American Chemical Society)*
*NFPA: National Fire Protection Association (USA)*
*HMIS: Hazardous Materials Identification System (USA)*
*VOC: Volatile Organic Compounds (USA, EU)*
*LC50: Lethal concentration, 50 percent*
*LD50: Lethal dose, 50 percent*
*PBT: Persistent, Bioaccumulative and Toxic*
*vPvB: very Persistent and very Bioaccumulative*
*NIOSH: National Institute for Occupational Safety and Health*
*OSHA: Occupational Safety & Health*
*TLV: Threshold Limit Value*
*PEL: Permissible Exposure Limit*
*REL: Recommended Exposure Limit*
*BEI: Biological Exposure Limit*
*Flammable liquids 3: Flammable liquids – Category 3*
*Flammable liquids 4: Flammable liquids – Category 4*
*Acute toxicity - oral 3: Acute toxicity – Category 3*
*Acute toxicity - oral 4: Acute toxicity – Category 4*
*Skin irritation 2: Skin corrosion/irritation – Category 2*
*Eye irritation 2A: Serious eye damage/eye irritation – Category 2A*
*Sensitization - skin 1: Skin sensitisation – Category 1*
*Sensitization - skin 1B: Skin sensitisation – Category 1B*
*Carcinogenicity 1B: Carcinogenicity – Category 1B*
*Aspiration hazard 1: Aspiration hazard – Category 1*

· **** Data compared to the previous version altered.***