Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 05/01/2026 *Reviewed on 05/01/2026*

1 Identification

· **Product identifier**

· **Trade name: Pride**
· **Other means of identification**

· **Product number:** 6350
· **Relevant identified uses of the substance or mixture and uses advised against**
· **Product Description:** Biodegradable Non-Butyl Emulsifier

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
Perform Mfg
1624 S. 45th St.
Kansas City, KS 66106
Customer Service: 913-722-1557
E-Mail: sales@performmfg.com
· **Emergency telephone number:** Infotrac: US & Canada: 1-800-535-5053 | International 1-352-323-3500

2 Hazard(s) identification

· **Classification of the substance or mixture**

GHS05 Corrosion

Skin corrosion 1A H314 Causes severe skin burns and eye damage.

· **Label elements**
· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
· **Hazard pictograms**

GHS05

· **Signal word** Danger

· **Hazard-determining components of labeling:**
Sodium hydroxide
Laurylamine oxide
· **Hazard statements**
Causes severe skin burns and eye damage.
· **Precautionary statements**
Do not breathe dusts or mists.
Wash thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 05/01/2026 Reviewed on 05/01/2026

Trade name: Pride

(Contd. of page 1)

· **Unknown acute toxicity:**
This value refers to knowledge of known, established toxicological or ecotoxicological values.
0 % of the mixture consists of component(s) of unknown toxicity.
· **Information pertaining to particular dangers for man and environment:**
· **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
· **NFPA ratings (scale 0 - 4)**

Health = 3
Fire = 0
Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

Health = *3
Fire = 0
Reactivity = 0

· **Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable
· **vPvB:** Not applicable
· **Classification according to (d)(1)(ii) of § 1910.1200**
The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.
· **Hazards not otherwise classified (HNOC)**
There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**
· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**		
CAS: 127087-87-0	Nonylphenol Polyethylene Ethoxylate Eye damage 1, H318; Acute toxicity - oral 4, H302; Acute toxicity - inhalation 4, H332	≥3–≤5%
CAS: 34398-01-1	Undecan-1-ol, ethoxylated Acute toxicity - oral 4, H302; Eye irritation 2A, H319	≥1–≤5%
CAS: 1310-73-2	Sodium hydroxide Skin corrosion 1A, H314; Acute toxicity - oral 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	≥2–<5%
CAS: 64-02-8 RTECS: AH 5075000	Tetrasodium ethylenediaminetetraacetate Eye damage 1, H318; Acute toxicity - oral 4, H302	≥1–<3%
CAS: 68604-71-7	Disodium Cocoampho Dipropionate Eye damage 1, H318; Sensitization - skin 1, H317	≥1–<3%
CAS: 1643-20-5 RTECS: JR 6650000	Laurylamine oxide Skin corrosion 1B, H314; Acute toxicity - oral 4, H302	≥1–<5%

(Contd. on page 3)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 05/01/2026 Reviewed on 05/01/2026

Trade name: Pride

(Contd. of page 2)

	Alcohol derivative Skin irritation 2, H315; Eye irritation 2A, H319	≥0.5–≤5%
CAS: 67-56-1 RTECS: PC 1400000	Methanol Flammable liquids 2, H225; Acute toxicity - oral 3, H301; Acute toxicity - dermal 3, H311; Acute toxicity - inhalation 3, H331; Specific target organ toxicity (single exposure) 1, H370 Specific concentration limits: STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %	0.1–1%
CAS: 8008-79-5	Spearmint oil Aspiration hazard 1, H304; Skin irritation 2, H315; Sensitization - skin 1, H317; Flammable liquids 4, H227	≥0.1–<1%

· **Additional information:**
The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-aid measures

· **Description of first aid measures**
· **General information:** Remove all soiled and contaminated clothing and wash before reuse.
· **After inhalation:**
Supply fresh air; consult doctor in case of complaints.
In case of unconsciousness place patient stably in side position for transportation.
· **After skin contact:**
Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.
Immediately wash with water and soap and rinse thoroughly.
Remove contaminated clothing and wash before reuse.
· **After eye contact:**
Rinse opened eye for at least 15 minutes under running water.
If easy to do so, remove contact lenses if worn.
Have eyes examined and tested by medical personnel.
If thermal burn occurs, flush area with cold water and get immediate medical attention.
· **After swallowing:**
Drink copious amounts of water and provide fresh air. Immediately call a doctor.
Get medical attention immediately.
Do not induce vomiting without medical advice.
· **Most important symptoms and effects, both acute and delayed** No further relevant information available.
· **Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

5 Fire-fighting measures

· **Extinguishing media**
· **Suitable extinguishing agents:**
Use fire fighting measures that suit the environment.
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
· **For safety reasons unsuitable extinguishing agents:** No further relevant information.
· **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
· **Advice for firefighters**
· **Protective equipment:**
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

(Contd. on page 4)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 05/01/2026 Reviewed on 05/01/2026

Trade name: Pride

(Contd. of page 3)

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
· **For non-emergency personnel** Use appropriate personal protection equipment (PPE).
· **For emergency responders**
Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE).
· **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers / surface or ground water.
· **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
· **Protective Action Criteria for Chemicals**
Protective Action Criteria (PACs) are essential components for planning and response to uncontrolled releases of hazardous chemicals.
· **PAC-1:**
PAC 1: Mild, transient health effects.

127087-87-0	Nonylphenol Polyethylene Ethoxylate	12 mg/m3
1310-73-2	Sodium hydroxide	0.50 mg/m3
64-02-8	Tetrasodium ethylenediaminetetraacetate	5.3 mg/m3
67-56-1	Methanol	530 ppm
2836-32-0	Sodium Glycolate	21 ppm

· **PAC-2:**
PAC 2: Irreversible or other serious health effects that could impair the ability to take protective action.

127087-87-0	Nonylphenol Polyethylene Ethoxylate	130 mg/m3
1310-73-2	Sodium hydroxide	5.0 mg/m3
64-02-8	Tetrasodium ethylenediaminetetraacetate	59 mg/m3
67-56-1	Methanol	2100 ppm
2836-32-0	Sodium Glycolate	230 ppm

· **PAC-3:**
PAC 3: Life-threatening health effects.

127087-87-0	Nonylphenol Polyethylene Ethoxylate	790 mg/m3
1310-73-2	Sodium hydroxide	50 mg/m3
64-02-8	Tetrasodium ethylenediaminetetraacetate	350 mg/m3
67-56-1	Methanol	7200 ppm
2836-32-0	Sodium Glycolate	1400 ppm

· **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

· **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 5)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 05/01/2026 Reviewed on 05/01/2026

Trade name: Pride

(Contd. of page 4)

Prevent formation of aerosols.

· **Information about protection against explosions and fires:** Keep respiratory protective device available.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**
Keep container tightly closed.
Keep in properly labelled containers.
Keep out of reach of children.
Store in the original container.

· **Information about storage in one common storage facility:** Not required

· **Further information about storage conditions:** Keep receptacle tightly sealed.

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

1310-73-2 Sodium hydroxide	
PEL	Long-term value: 2 mg/m³
REL	Ceiling limit value: 2 mg/m³
TLV	Ceiling limit value: 2 mg/m³
67-56-1 Methanol	
PEL	Long-term value: 260 mg/m³, 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI-C

· **Regulatory information**
PEL: Guide to Occupational Exposure Values (OSHA PELs)
REL: Guide to Occupational Exposure Values (NIOSH RELs)
TLV: Guide to Occupational Exposure Values (TLV)

· **Ingredients with biological limit values:**	
67-56-1 Methanol	
BEI	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)

· **Regulatory information** BEI: Guide to Occupational Exposure Values (BEI)

· **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

· **Exposure controls**
Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Where acceptable concentrations cannot be maintained by general mechanical ventilation, local exhaust ventilation is recommended.

· **Appropriate engineering controls** No further data; see section 7.

(Contd. on page 6)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 05/01/2026 *Reviewed on 05/01/2026*

Trade name: Pride

(Contd. of page 5)

· ***Personal protective equipment:***
· ***General protective and hygienic measures:***
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
· ***Breathing equipment:***
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
· ***Protection of hands:***

Protective gloves

· ***Material of gloves***
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· ***Penetration time of glove material***
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· ***Eye protection:***

Tightly sealed goggles

· ***Limitation and supervision of exposure into the environment***
Keep away from drains, surface and ground waters.
Avoid release into the environment.

9 Physical and chemical properties

· ***Information on basic physical and chemical properties***
· ***General Information***

· ***Physical state***	*Liquid*
· ***Color:***	*Green*
· ***Odor:***	*Mint*
· ***Odor threshold:***	*Not determined*
· ***Melting point/Melting range:***	*Undetermined*
· ***Boiling point/Boiling range:***	*100 °C (212 °F)*
· ***Flammability:***	*Not applicable*
· ***Explosion limits:***	
· ***Lower:***	*Not determined*
· ***Upper:***	*Not determined*
· ***Flash point:***	*Not applicable*
· ***Decomposition temperature:***	*Not determined*
· ***pH-value at 20 °C (68 °F):***	*13–14*
· ***Viscosity:***	
· ***Kinematic:***	*Not determined*
· ***Dynamic:***	*Not determined*
· ***Solubility in / Miscibility with***	
· ***Water:***	*Fully miscible.*
· ***Partition coefficient (n-octanol/water):***	*Not determined*

(Contd. on page 7)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 05/01/2026 Reviewed on 05/01/2026

Trade name: Pride

(Contd. of page 6)

· **Vapor pressure at 20 °C (68 °F):**	23 hPa (17.3 mm Hg)
· **Density at 20 °C (68 °F):**	1 g/cm³ (8.345 lbs/gal)
· **Relative density**	Not determined
· **Vapor density**	Not determined
· **Particle characteristics**	Not applicable
· **Other information**	
· **Appearance:**	
· **Form:**	Liquid
· **Important information on protection of health and environment, and on safety.**	
· **Ignition temperature:**	Product is not self-igniting.
· **Danger of explosion:**	Product does not present an explosion hazard.
· **Solvent content:**	
· **Organic solvents:**	<0.2 %
· **VOC content:**	<0.25 % >2.5 g/l / >0.02 lb/gal
· **Change in condition**	
· **Oxidizing properties**	None
· **Evaporation rate**	Not determined

10 Stability and reactivity

· **Reactivity**
The product is stable under normal conditions.
No further relevant information available.
· **Chemical stability** Stable under normal conditions.
· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
· **Possibility of hazardous reactions** No dangerous reactions known.
· **Conditions to avoid** No further relevant information available.
· **Incompatible materials:** Strong acids
· **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Information on toxicological effects**
· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**		
ATE (Acute Toxicity Estimate)		
Oral	LD50	>8,526–≤14,840 mg/kg
Inhalative	LC50/96 hours	>91.4–166 Mg/l

127087-87-0 Nonylphenol Polyethylene Ethoxylate		
Oral	LD50	16,000 mg/kg (Rat)
Dermal	LD50	4,490 mg/kg (Rabbit) 24 hr occluded contact
Inhalative	LC50/96 hours	3.8–6.2 Mg/l (pim)
1310-73-2 Sodium hydroxide		
Oral	LD50	2,000 mg/kg (Rat)
64-02-8 Tetrasodium ethylenediaminetetraacetate		
Oral	LD50	630–1,260 mg/kg (Rat)

(Contd. on page 8)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 05/01/2026 Reviewed on 05/01/2026

Trade name: Pride

(Contd. of page 7)

1643-20-5 Laurylamine oxide		
Oral	LD50	5,000 mg/kg (Rat)
67-56-1 Methanol		
Oral	LD50	5,628 mg/kg (Rat)
Dermal	LD50	15,800 mg/kg (Rabbit)
Inhalative	LC50/4 h	128.2 mg/l (Rat)
	LC50/96 hours	15,400 Mg/l (trout)

· **Primary irritant effect:**
· **on the skin:** Strong caustic effect on skin and mucous membranes.
· **on the eye:** Strong caustic effect.
· **Sensitization:** No sensitizing effects known.
· **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Corrosive
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
· **Interactive effects** No interactive effects between components are known.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**
None of the ingredients is listed.

· **NTP (National Toxicology Program)**
None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**
None of the ingredients is listed.

· **Alternative sources for toxicological information** No non-standard sources for toxicological information were used.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**	
127087-87-0 Nonylphenol Polyethylene Ethoxylate	
EC50	1,000 mg/kg (daphnia)
1310-73-2 Sodium hydroxide	
EC50	40 mg/kg (daphnia)
67-56-1 Methanol	
EC50	10,000 mg/kg (daphnia) 22,000 mg/kg (Green algae)

· **Persistence and degradability** No further relevant information available.
· **Bioaccumulative potential** No further relevant information available.
· **Mobility in soil** No further relevant information available.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable
· **vPvB:** Not applicable
· **Other adverse effects**
· **Additional ecological information:**
· **General notes:**
Water hazard class 3 (Self-assessment): extremely hazardous for water

(Contd. on page 9)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 05/01/2026 *Reviewed on 05/01/2026*

Trade name: Pride

(Contd. of page 8)

Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
Danger to drinking water if even extremely small quantities leak into the ground.
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

13 Disposal considerations

· **Waste treatment methods**
· **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Observe all federal, state and local environmental regulations when disposing of this material.
· **Waste disposal key:**
US EPA RCRA waste code D002 (corrosive hazardous wastes). The regulations at 40 CFR section 261.22.

· **Uncleaned packagings:**
· **Recommendation:** *Disposal must be made according to official regulations.*
· **Recommended cleansing agent:** *Water, if necessary with cleansing agents.*

14 Transport information

· **UN-Number**
· **DOT, IMDG, IATA** *UN1760*
· **UN proper shipping name**
· **DOT** *Corrosive liquids, n.o.s. (Sodium hydroxide)*
· **IMDG** *CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE)*
· **IATA** *Corrosive liquid, n.o.s. (SODIUM HYDROXIDE)*
· **Transport hazard class(es)**

· **DOT**

· **Class** *8 Corrosive substances*
· **Label** *8*

· **IMDG, IATA**

· **Class** *8 Corrosive substances*
· **Label** *8*
· **Packing group**
· **DOT, IMDG, IATA** *III*
· **Environmental hazards:** *Product contains environmentally hazardous substances: Nonylphenol Polyethylene Ethoxylate*
· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** *Not applicable*

(Contd. on page 10)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 05/01/2026 Reviewed on 05/01/2026

Trade name: Pride

(Contd. of page 9)

· **Transport/Additional information:**

· **DOT**

· **Quantity limitations** On passenger aircraft/rail: 5 L
On cargo aircraft only: 60 L

· **IMDG**

· **Limited quantities (LQ)** 5L

· **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml

· **Special precautions for user** Warning: Corrosive substances

· **Hazard identification number (Kemler code):** 80

· **EMS Number:** F-A,S-B

· **Stowage Category** A

· **Stowage Code** SW2 Clear of living quarters.

· **UN "Model Regulation":** UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE), 8, III

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.

· **TSCA (Toxic Substances Control Act):**		
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
127087-87-0	Nonylphenol Polyethylene Ethoxylate	ACTIVE
34398-01-1	Undecan-1-ol, ethoxylated	ACTIVE
1310-73-2	Sodium hydroxide	ACTIVE
64-02-8	Tetrasodium ethylenediaminetetraacetate	ACTIVE
68604-71-7	Disodium Cocoampho Dipropionate	ACTIVE
1643-20-5	Laurylamine oxide	ACTIVE
67-56-1	Methanol	ACTIVE
8008-79-5	Spearmint oil	ACTIVE
2836-32-0	Sodium Glycolate	ACTIVE
5064-31-3	Trisodium nitrilotriacetate	ACTIVE

· **Hazardous Air Pollutants**	
67-56-1	Methanol

· **Proposition 65**

· **Chemicals known to cause cancer:**
None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**
None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**
None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**	
67-56-1	Methanol

· **New Jersey Right-to-Know List:**	
1310-73-2	Sodium hydroxide

(Contd. on page 11)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 05/01/2026 Reviewed on 05/01/2026

Trade name: Pride

(Contd. of page 10)

67-56-1	Methanol

· **New Jersey Special Hazardous Substance List:**

1310-73-2	Sodium hydroxide	CO, R1
67-56-1	Methanol	TE, F3

· **Pennsylvania Right-to-Know List:**

1310-73-2	Sodium hydroxide

· **Pennsylvania Special Hazardous Substance List:**

1310-73-2	Sodium hydroxide	E

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **PFAS**

None of the ingredients is listed.

· **Per- and polyfluoroalkyl substances (PFAS)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**

GHS05

· **Signal word** Danger

· **Hazard-determining components of labeling:**
Sodium hydroxide
Laurylamine oxide

· **Hazard statements**
Causes severe skin burns and eye damage.

· **Precautionary statements**
Do not breathe dusts or mists.
Wash thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. on page 12)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 05/01/2026 *Reviewed on 05/01/2026*

Trade name: Pride

(Contd. of page 11)

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· ***SDS created by:*** *Access GHS, LLC - 888-363-4870 - Team@access-ghs-sds.com*
· ***Date of previous version*** *07/20/2023*
· ***Version number of previous version:*** *2*
· ***Date of preparation*** *05/01/2026*
· ***Abbreviations and acronyms:***
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety and Health
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Flammable liquids 2: Flammable liquids – Category 2
Flammable liquids 4: Flammable liquids – Category 4
Acute toxicity - oral 3: Acute toxicity – Category 3
Acute toxicity - oral 4: Acute toxicity – Category 4
Skin corrosion 1A: Skin corrosion/irritation – Category 1A
Skin corrosion 1B: Skin corrosion/irritation – Category 1B
Skin irritation 2: Skin corrosion/irritation – Category 2
Eye damage 1: Serious eye damage/eye irritation – Category 1
Eye irritation 2A: Serious eye damage/eye irritation – Category 2A
Sensitization - skin 1: Skin sensitisation – Category 1
Specific target organ toxicity (single exposure) 1: Specific target organ toxicity (single exposure) – Category 1
Aspiration hazard 1: Aspiration hazard – Category 1