Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/04/2026 *Reviewed on 06/04/2026*

1 Identification

· ***Product identifier***

· ***Product name:*** **Slugger**
· ***Other means of identification***

· ***Product number:*** 6450
· ***Relevant identified uses of the substance or mixture and uses advised against***
· ***Product Description:*** Acid Cleaner & Delimer

· ***Details of the supplier of the safety data sheet***
· ***Manufacturer/Supplier:***
Perform Mfg
1624 S. 45th St.
Kansas City, KS 66106
Customer Service: 913-722-1557
E-Mail: sales@performmfg.com
· ***Emergency telephone number:*** Infotrac: US & Canada: 1-800-535-5053 | International 1-352-323-3500

2 Hazard(s) identification

· ***Classification of the substance or mixture***

GHS08 Health hazard

Reproductive toxicity 2	H361 Suspected of damaging fertility or the unborn child.

GHS05 Corrosion

Eye damage 1	H318 Causes serious eye damage.

GHS07

Skin irritation 2	H315 Causes skin irritation.
Specific target organ toxicity (single exposure) 3	H335 May cause respiratory irritation.

· ***Label elements***
· ***GHS label elements*** The product is classified and labeled according to the Globally Harmonized System (GHS).
· ***Hazard pictograms***

GHS05 GHS07 GHS08

· ***Signal word*** Danger

· ***Hazard-determining components of labeling:***
Hydrochloric Acid
METHYL SALICYLATE
Nonylphenol Polyethylene Ethoxylate
· ***Hazard statements***
Causes skin irritation.
Causes serious eye damage.

(Contd. on page 2)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/04/2026 *Reviewed on 06/04/2026*

Product name: **Slugger**

(Contd. of page 1)

Suspected of damaging fertility or the unborn child.
May cause respiratory irritation.

· ***Precautionary statements***
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
If on skin: Wash with plenty of water.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· ***Unknown acute toxicity:***
This value refers to knowledge of known, established toxicological or ecotoxicological values.
0 % of the mixture consists of component(s) of unknown toxicity.

· ***Information pertaining to particular dangers for man and environment:***

· ***Classification system:*** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

· ***NFPA ratings (scale 0 - 4)***

Health = 3
Fire = 0
Reactivity = 0

· ***HMIS-ratings (scale 0 - 4)***

Health = *3
Fire = 0
Reactivity = 0

· ***Other hazards***

· ***Results of PBT and vPvB assessment***

· ***PBT:*** Not applicable

· ***vPvB:*** Not applicable

· ***Classification according to (d)(1)(ii) of § 1910.1200***
The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· ***Hazards not otherwise classified (HNOC)***
There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· ***Chemical characterization: Mixtures***

· ***Description:*** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/04/2026 *Reviewed on 06/04/2026*

Product name: **Slugger**

(Contd. of page 2)

· ***Dangerous components:***		
CAS: 7647-01-0 RTECS: MW 9620000	Hydrochloric Acid Skin corrosion 1B, H314; Eye damage 1, H318; Acute toxicity - oral 4, H302; Specific target organ toxicity (single exposure) 3, H335 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %	≥10–<13%
CAS: 127087-87-0	Nonylphenol Polyethylene Ethoxylate Eye damage 1, H318; Acute toxicity - oral 4, H302; Acute toxicity - inhalation 4, H332	≥1–<3%
CAS: 119-36-8	METHYL SALICYLATE Reproductive toxicity 2, H361; Acute toxicity - oral 4, H302; Sensitization - skin 1B, H317	≥0.1–<1%

· ***Additional information:***
The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-aid measures

· ***Description of first aid measures***
· ***General information:*** Immediately remove any clothing soiled by the product.
· ***After inhalation:***
Supply fresh air; consult doctor in case of complaints.
In case of unconsciousness place patient stably in side position for transportation.
· ***After skin contact:***
Immediately wash with water and soap and rinse thoroughly.
If skin irritation occurs, consult a doctor.
· ***After eye contact:***
Have eyes examined and tested by medical personnel.
Rinse opened eye for at least 15 minutes under running water.
Seek immediate medical attention.
If easy to do so, remove contact lenses if worn.
· ***After swallowing:***
Rinse mouth out with water.
Do not induce vomiting.
If swallowed and symptoms occur, consult a doctor.
· ***Most important symptoms and effects, both acute and delayed*** No further relevant information available.
· ***Indication of any immediate medical attention and special treatment needed*** Treat symptomatically.

5 Fire-fighting measures

· ***Extinguishing media***
· ***Suitable extinguishing agents:***
Use fire fighting measures that suit the environment.
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
· ***For safety reasons unsuitable extinguishing agents:*** No further relevant information.
· ***Special hazards arising from the substance or mixture*** No further relevant information available.
· ***Advice for firefighters***
· ***Protective equipment:***
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

(Contd. on page 4)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/04/2026 *Reviewed on 06/04/2026*

Product name: **Slugger**

(Contd. of page 3)

6 Accidental release measures

· ***Personal precautions, protective equipment and emergency procedures***
Wear protective equipment. Keep unprotected persons away.
· ***For non-emergency personnel*** Use appropriate personal protection equipment (PPE).
· ***For emergency responders***
Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE).
· ***Environmental precautions:***
Dilute with plenty of water.
Do not allow to enter sewers / surface or ground water.
· ***Methods and material for containment and cleaning up:***
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
· ***Protective Action Criteria for Chemicals***
Protective Action Criteria (PACs) are essential components for planning and response to uncontrolled releases of hazardous chemicals.
· ***PAC-1:***
PAC 1: Mild, transient health effects.

7647-01-0	Hydrochloric Acid	1.8 ppm
127087-87-0	Nonylphenol Polyethylene Ethoxylate	12 mg/m3
119-36-8	METHYL SALICYLATE	1.1 ppm

· ***PAC-2:***
PAC 2: Irreversible or other serious health effects that could impair the ability to take protective action.

7647-01-0	Hydrochloric Acid	22 ppm
127087-87-0	Nonylphenol Polyethylene Ethoxylate	130 mg/m3
119-36-8	METHYL SALICYLATE	12 ppm

· ***PAC-3:***
PAC 3: Life-threatening health effects.

7647-01-0	Hydrochloric Acid	100 ppm
127087-87-0	Nonylphenol Polyethylene Ethoxylate	790 mg/m3
119-36-8	METHYL SALICYLATE	71 ppm

· ***Reference to other sections***
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

· ***Precautions for safe handling***
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
· ***Information about protection against explosions and fires:*** Keep respiratory protective device available.

· ***Conditions for safe storage, including any incompatibilities***
· ***Storage:***
· ***Requirements to be met by storerooms and receptacles:***
Keep container closed when not in use.
Keep container tightly closed.

(Contd. on page 5)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/04/2026 *Reviewed on 06/04/2026*

Product name: **Slugger**

(Contd. of page 4)

Keep in properly labelled containers.
Store in a cool, dry place.
· ***Information about storage in one common storage facility:*** Not required
· ***Further information about storage conditions:*** Keep receptacle tightly sealed.
· ***Specific end use(s)*** No further relevant information available.

8 Exposure controls/personal protection

· ***Control parameters***
· ***Components with limit values that require monitoring at the workplace:***
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

7647-01-0 Hydrochloric Acid	
PEL	Ceiling limit value: 7 mg/m³, 5 ppm
REL	Ceiling limit value: 7 mg/m³, 5 ppm
TLV	Ceiling limit value: 2 ppm A4

· ***Regulatory information***
PEL: Guide to Occupational Exposure Values (OSHA PELs)
REL: Guide to Occupational Exposure Values (NIOSH RELs)
TLV: Guide to Occupational Exposure Values (TLV)
· ***Additional information:*** The lists that were valid during the creation of this SDS were used as basis.

· ***Exposure controls***
Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Where acceptable concentrations cannot be maintained by general mechanical ventilation, local exhaust ventilation is recommended.
· ***Appropriate engineering controls*** No further data; see section 7.
· ***Personal protective equipment:***
· ***General protective and hygienic measures:***
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
· ***Breathing equipment:***
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
· ***Protection of hands:***

Protective gloves

· ***Material of gloves***
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· ***Penetration time of glove material***
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/04/2026 *Reviewed on 06/04/2026*

Product name: **Slugger**

(Contd. of page 5)

· ***Eye protection:***

Tightly sealed goggles

· ***Limitation and supervision of exposure into the environment*** None

9 Physical and chemical properties

· ***Information on basic physical and chemical properties***

· ***General Information***	
· ***Physical state***	Liquid
· ***Color:***	Clear
· ***Odor:***	Characteristic
· ***Odor threshold:***	Not determined
· ***Melting point/Melting range:***	Undetermined
· ***Boiling point/Boiling range:***	100 °C (212 °F)
· ***Flammability:***	Not applicable
· ***Explosion limits:***	
· ***Lower:***	Not determined
· ***Upper:***	Not determined
· ***Flash point:***	Not applicable
· ***Decomposition temperature:***	Not determined
· ***pH-value:***	Not determined
· ***Viscosity:***	
· ***Kinematic:***	Not determined
· ***Dynamic:***	Not determined
· ***Solubility in / Miscibility with***	
· ***Water:***	Fully miscible.
· ***Partition coefficient (n-octanol/water):***	Not determined
· ***Vapor pressure at 20 °C (68 °F):***	23 hPa (17.3 mm Hg)
· ***Density at 20 °C (68 °F):***	1.02567 g/cm³ (8.55922 lbs/gal)
· ***Relative density***	Not determined
· ***Bulk density:***	1,026 kg/m³
· ***Vapor density***	Not determined
· ***Particle characteristics***	Not applicable
· ***Other information***	
· ***Appearance:***	
· ***Form:***	Liquid
· ***Important information on protection of health and environment, and on safety.***	
· ***Ignition temperature:***	Product is not self-igniting.
· ***Danger of explosion:***	Product does not present an explosion hazard.
· ***Solvent content:***	
· ***VOC content:***	0.00 % 0.0 g/l / 0.00 lb/gal
· ***Change in condition***	
· ***Oxidizing properties***	None
· ***Evaporation rate***	Not determined

(Contd. on page 7)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/04/2026 *Reviewed on 06/04/2026*

Product name: **Slugger**

(Contd. of page 6)

10 Stability and reactivity

· ***Reactivity***
The product is stable under normal conditions.
No further relevant information available.
· ***Chemical stability*** Stable under normal conditions.
· ***Thermal decomposition / conditions to be avoided:*** No decomposition if used according to specifications.
· ***Possibility of hazardous reactions*** No dangerous reactions known.
· ***Conditions to avoid*** No further relevant information available.
· ***Incompatible materials:*** Strong oxidizing agents.
· ***Hazardous decomposition products:*** Hydrogen chloride (HCl)

11 Toxicological information

· ***Information on toxicological effects***
· ***Acute toxicity:***

· ***LD/LC50 values that are relevant for classification:***		
ATE (Acute Toxicity Estimate)		
Oral	LD50	7,020 mg/kg (Rabbit)
Inhalative	LC50/96 hours	191–347 Mg/l (pim)

7647-01-0 Hydrochloric Acid		
Oral	LD50	900 mg/kg (Rabbit)
127087-87-0 Nonylphenol Polyethylene Ethoxylate		
Oral	LD50	16,000 mg/kg (Rat)
Dermal	LD50	4,490 mg/kg (Rabbit) 24 hr occluded contact
Inhalative	LC50/96 hours	3.8–6.2 Mg/l (pim)
119-36-8 METHYL SALICYLATE		
Oral	LD50	890 mg/kg (ATE) 887 mg/kg (Rat)

· ***Primary irritant effect:***
· ***on the skin:*** Irritant to skin and mucous membranes.
· ***on the eye:*** Strong irritant with the danger of severe eye injury.
· ***Sensitization:*** No sensitizing effects known.
· ***Additional toxicological information:***
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant
· ***Interactive effects*** No interactive effects between components are known.

· ***Carcinogenic categories***
· ***IARC (International Agency for Research on Cancer)***
Group 1 - Carcinogenic to humans
Group 2A - Probably carcinogenic to humans
Group 2B - Possibly carcinogenic to humans
Group 3 - Not classifiable as to its carcinogenicity to humans
Group 4 - Probably not carcinogenic to humans

7647-01-0	Hydrochloric Acid	3

· ***NTP (National Toxicology Program)***
None of the ingredients is listed.

(Contd. on page 8)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/04/2026 *Reviewed on 06/04/2026*

Product name: **Slugger**

(Contd. of page 7)

· ***OSHA-Ca (Occupational Safety & Health Administration)***
None of the ingredients is listed.

· ***Alternative sources for toxicological information*** No non-standard sources for toxicological information were used.

12 Ecological information

· ***Toxicity***

· ***Aquatic toxicity:***	
127087-87-0 Nonylphenol Polyethylene Ethoxylate	
EC50	1,000 mg/kg (daphnia)

· ***Persistence and degradability*** No further relevant information available.
· ***Bioaccumulative potential*** No further relevant information available.
· ***Mobility in soil*** No further relevant information available.
· ***Results of PBT and vPvB assessment***
· ***PBT:*** Not applicable
· ***vPvB:*** Not applicable
· ***Other adverse effects***
· ***Additional ecological information:***
· ***General notes:***
Water hazard class 3 (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
Danger to drinking water if even extremely small quantities leak into the ground.

13 Disposal considerations

· ***Waste treatment methods***
· ***Recommendation:***
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Observe all federal, state and local environmental regulations when disposing of this material.
· ***Waste disposal key:***
US EPA RCRA waste code D002 (corrosive hazardous wastes). The regulations at 40 CFR section 261.22.

· ***Uncleaned packagings:***
· ***Recommendation:*** Disposal must be made according to official regulations.
· ***Recommended cleansing agent:*** Water, if necessary with cleansing agents.

* 14 Transport information

· ***UN-Number***
· ***DOT, IMDG, IATA*** UN3264
· ***UN proper shipping name***
· ***DOT*** Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid)
· ***IMDG*** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID)
· ***IATA*** Corrosive liquid, acidic, inorganic, n.o.s. (HYDROCHLORIC ACID)
· ***Transport hazard class(es)***

· ***DOT***

· ***Class*** 8 Corrosive substances

(Contd. on page 9)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/04/2026 *Reviewed on 06/04/2026*

Product name: **Slugger**

(Contd. of page 8)

· ***Label*** 8

· ***IMDG, IATA***

· ***Class***	8 Corrosive substances
· ***Label***	8
· ***Packing group***	
· ***DOT, IMDG, IATA***	II
· ***Environmental hazards:***	Product contains environmentally hazardous substances: Nonylphenol Polyethylene Ethoxylate
· ***Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code***	Not applicable
· ***Transport/Additional information:***	
· ***DOT***	
· ***Quantity limitations***	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
· ***Remarks:***	OTHER SHIPPING INFORMATION: All products offered for domestic ground transportation that meet the following exceptions for Class 8 (Corrosive Materials) will be packaged and shipped as "Limited Qty". (1) For Corrosive Materials in Packing Group II, inner packaging not over 1.0 L (0.3 Gallon) net capacity each for liquids or not over 1.0 kg (2.2 lbs) net capacity each for solids, packed in a strong outer packaging with a gross package weight of 66 lbs or less. (2) For Corrosive Materials in Packing Group III, inner packaging not over 5.0 L (1.3 Gallons) net capacity each for liquids or not over 5.0 kg (11 lbs) net capacity each for solids, packed in a strong outer packaging with a gross package weight of 66 lbs or less.
· ***IMDG***	
· ***Limited quantities (LQ)***	1L
· ***Excepted quantities (EQ)***	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· ***Special precautions for user***	Warning: Corrosive substances
· ***Hazard identification number (Kemler code):***	80
· ***EMS Number:***	F-A,S-B
· ***Segregation groups***	(SGG1) Acids
· ***Stowage Category***	B
· ***Stowage Code***	SW2 Clear of living quarters.
· ***Segregation Code***	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
· ***UN "Model Regulation":***	UN 1760 CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID), 8, II

15 Regulatory information

· ***Safety, health and environmental regulations/legislation specific for the substance or mixture***

· ***TSCA (Toxic Substances Control Act):***		
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE

(Contd. on page 10)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/04/2026 *Reviewed on 06/04/2026*

Product name: **Slugger**

(Contd. of page 9)

7647-01-0	Hydrochloric Acid	ACTIVE
127087-87-0	Nonylphenol Polyethylene Ethoxylate	ACTIVE
144-62-7	oxalic acid	ACTIVE
119-36-8	METHYL SALICYLATE	ACTIVE

· ***Hazardous Air Pollutants***

7647-01-0	Hydrochloric Acid

· ***Proposition 65***

· ***Chemicals known to cause cancer:***

None of the ingredients is listed.

· ***Chemicals known to cause reproductive toxicity for females:***

None of the ingredients is listed.

· ***Chemicals known to cause reproductive toxicity for males:***

None of the ingredients is listed.

· ***Chemicals known to cause developmental toxicity:***

None of the ingredients is listed.

· ***New Jersey Right-to-Know List:***

7647-01-0	Hydrochloric Acid
144-62-7	oxalic acid

· ***New Jersey Special Hazardous Substance List:***

7647-01-0	Hydrochloric Acid	CO, R1
144-62-7	oxalic acid	CO

· ***Pennsylvania Right-to-Know List:***

7647-01-0	Hydrochloric Acid
144-62-7	oxalic acid
119-36-8	METHYL SALICYLATE

· ***Pennsylvania Special Hazardous Substance List:***

7647-01-0	Hydrochloric Acid	E

· ***EPA (Environmental Protection Agency)***

None of the ingredients is listed.

· ***TLV (Threshold Limit Value)***

7647-01-0	Hydrochloric Acid	A4

· ***NIOSH-Ca (National Institute for Occupational Safety and Health)***

None of the ingredients is listed.

· ***PFAS***

None of the ingredients is listed.

· ***Per- and polyfluoroalkyl substances (PFAS)***

None of the ingredients is listed.

· ***GHS label elements*** The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 11)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/04/2026 *Reviewed on 06/04/2026*

Product name: **Slugger**

(Contd. of page 10)

· ***Hazard pictograms***

GHS05 GHS07 GHS08

· ***Signal word*** Danger

· ***Hazard-determining components of labeling:***
Hydrochloric Acid
METHYL SALICYLATE
Nonylphenol Polyethylene Ethoxylate

· ***Hazard statements***
Causes skin irritation.
Causes serious eye damage.
Suspected of damaging fertility or the unborn child.
May cause respiratory irritation.

· ***Precautionary statements***
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
If on skin: Wash with plenty of water.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· ***Chemical safety assessment:*** A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· ***SDS created by:*** Access GHS, LLC - 888-363-4870 - Team@access-ghs-sds.com
· ***Date of previous version*** 06/02/2026
· ***Version number of previous version:*** 2
· ***Date of preparation*** 06/04/2026
· ***Abbreviations and acronyms:***
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 12)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/04/2026 *Reviewed on 06/04/2026*

Product name: **Slugger**

(Contd. of page 11)

NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety and Health
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute toxicity - oral 4: Acute toxicity – Category 4
Skin corrosion 1B: Skin corrosion/irritation – Category 1B
Skin irritation 2: Skin corrosion/irritation – Category 2
Eye damage 1: Serious eye damage/eye irritation – Category 1
Sensitization - skin 1B: Skin sensitisation – Category 1B
Reproductive toxicity 2: Reproductive toxicity – Category 2
Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3

· **** Data compared to the previous version altered.***