Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/22/2026 *Reviewed on 06/22/2026*

1 Identification

· ***Product identifier***

· ***Product name:*** **Super-Clean**
· ***Other means of identification***

· ***Product number:*** 1350
· ***Relevant identified uses of the substance or mixture and uses advised against***
· ***Product Description:*** High Performance

· ***Details of the supplier of the safety data sheet***
· ***Manufacturer/Supplier:***
Perform Mfg
1624 S. 45th St.
Kansas City, KS 66106
Customer Service: 913-722-1557
E-Mail: sales@performmfg.com
· ***Emergency telephone number:*** Infotrac: US & Canada: 1-800-535-5053 | International 1-352-323-3500

2 Hazard(s) identification

· ***Classification of the substance or mixture***



GHS08 Health hazard

Carcinogenicity 2	H351 Suspected of causing cancer.
Reproductive toxicity 2	H361 Suspected of damaging fertility or the unborn child.
Specific target organ toxicity (repeated exposure) 2	H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Skin irritation 2	H315 Causes skin irritation.
Sensitization - skin 1	H317 May cause an allergic skin reaction.
Eye irritation 2B	H320 Causes eye irritation.

· ***Label elements***
· ***GHS label elements*** The product is classified and labeled according to the Globally Harmonized System (GHS).
· ***Hazard pictograms***



GHS07 GHS08

· ***Signal word*** Warning

· ***Hazard-determining components of labeling:***
Cocamide DEA
METHYL SALICYLATE
sodium dodecylbenzenesulphonate, pure (C10-16)
· ***Hazard statements***
Causes skin and eye irritation.
May cause an allergic skin reaction.

(Contd. on page 2)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/22/2026 *Reviewed on 06/22/2026*

Product name: **Super-Clean**

(Contd. of page 1)

Suspected of causing cancer.
Suspected of damaging fertility or the unborn child.
May cause damage to organs through prolonged or repeated exposure.

· ***Precautionary statements***
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wash thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
If on skin: Wash with plenty of water.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
Get medical advice/attention if you feel unwell.
Take off contaminated clothing and wash it before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· ***Unknown acute toxicity:***
This value refers to knowledge of known, established toxicological or ecotoxicological values.
1.2 % of the mixture consists of component(s) of unknown toxicity.

· ***Information pertaining to particular dangers for man and environment:***

· ***Classification system:*** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

· ***NFPA ratings (scale 0 - 4)***



Health = 1
Fire = 1
Reactivity = 0

· ***HMIS-ratings (scale 0 - 4)***



Health = *1
Fire = 1
Reactivity = 0

· ***Other hazards***

· ***Results of PBT and vPvB assessment***

· ***PBT:*** Not applicable

· ***vPvB:*** Not applicable

· ***Classification according to (d)(1)(ii) of § 1910.1200***
The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· ***Hazards not otherwise classified (HNOC)***
There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· ***Chemical characterization: Mixtures***

· ***Description:*** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/22/2026 *Reviewed on 06/22/2026*

Product name: **Super-Clean**

(Contd. of page 2)

· ***Dangerous components:***		
CAS: 127087-87-0	Nonylphenol Polyethylene Ethoxylate Eye damage 1, H318; Acute toxicity - oral 4, H302; Acute toxicity - inhalation 4, H332	≥3–≤7%
CAS: 64-02-8 RTECS: AH 5075000	Tetrasodium ethylenediaminetetraacetate Eye damage 1, H318; Acute toxicity - oral 4, H302	≥3–≤5%
CAS: 68130-47-2	COMPLEX ALKYL PHOSPHATE ESTER Skin corrosion 1C, H314; Acute toxicity - dermal 4, H312	≥1–<5%
CAS: 68603-42-9	Cocamide DEA Carcinogenicity 2, H351; Specific target organ toxicity (repeated exposure) 2, H373; Eye damage 1, H318; Skin irritation 2, H315; Sensitization - skin 1, H317	≥1–<1.5%
CAS: 1300-72-7	Sodium Xylene Sulfonate Eye irritation 2A, H319	≥0.5–≤1.5%
CAS: 25155-30-0	sodium dodecylbenzenesulphonate, pure (C10-16) Acute toxicity - oral 4, H302; Skin irritation 2, H315; Eye irritation 2A, H319; Sensitization - skin 1, H317; Specific target organ toxicity (single exposure) 3, H335	≥1–≤1.5%
CAS: 119-36-8	METHYL SALICYLATE Reproductive toxicity 2, H361; Acute toxicity - oral 4, H302; Sensitization - skin 1B, H317	≥0.1–<1%

· ***Additional information:***
The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-aid measures

· ***Description of first aid measures***
· ***General information:*** If symptoms persist, call a physician.
· ***After inhalation:*** In case of unconsciousness place patient stably in side position for transportation.
· ***After skin contact:***
Immediately wash with water and soap and rinse thoroughly.
If skin irritation occurs, consult a doctor.
· ***After eye contact:***
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
If eye irritation occurs, consult a doctor.
If easy to do so, remove contact lenses if worn.
· ***After swallowing:***
Rinse mouth out with water.
If swallowed and symptoms occur, consult a doctor.
· ***Most important symptoms and effects, both acute and delayed*** No further relevant information available.
· ***Indication of any immediate medical attention and special treatment needed*** Treat symptomatically.

5 Fire-fighting measures

· ***Extinguishing media***
· ***Suitable extinguishing agents:***
Use fire fighting measures that suit the environment.
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
· ***For safety reasons unsuitable extinguishing agents:*** No further relevant information.
· ***Special hazards arising from the substance or mixture***
During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/22/2026 *Reviewed on 06/22/2026*

Product name: **Super-Clean**

(Contd. of page 3)

· ***Advice for firefighters***
· ***Protective equipment:***
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

· ***Personal precautions, protective equipment and emergency procedures*** Mount respiratory protective device.
· ***For non-emergency personnel*** Use appropriate personal protection equipment (PPE).
· ***For emergency responders***
Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE).
· ***Environmental precautions:***
Dilute with plenty of water.
Do not allow to enter sewers / surface or ground water.
· ***Methods and material for containment and cleaning up:***
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
· ***Protective Action Criteria for Chemicals***
Protective Action Criteria (PACs) are essential components for planning and response to uncontrolled releases of hazardous chemicals.
· ***PAC-1:***
PAC 1: Mild, transient health effects.

127087-87-0	Nonylphenol Polyethylene Ethoxylate	12 mg/m3
64-02-8	Tetrasodium ethylenediaminetetraacetate	5.3 mg/m3
25155-30-0	sodium dodecylbenzenesulphonate, pure (C10-16)	1.3 mg/m3
119-36-8	METHYL SALICYLATE	1.1 ppm
1310-73-2	Sodium Hydroxide	0.50 mg/m3
56-81-5	glycerol	45 mg/m3
111-42-2	Diethanolamine	3.0 mg/m3
67-56-1	methanol	530 ppm

· ***PAC-2:***
PAC 2: Irreversible or other serious health effects that could impair the ability to take protective action.

127087-87-0	Nonylphenol Polyethylene Ethoxylate	130 mg/m3
64-02-8	Tetrasodium ethylenediaminetetraacetate	59 mg/m3
25155-30-0	sodium dodecylbenzenesulphonate, pure (C10-16)	14 mg/m3
119-36-8	METHYL SALICYLATE	12 ppm
1310-73-2	Sodium Hydroxide	5.0 mg/m3
56-81-5	glycerol	180 mg/m3
111-42-2	Diethanolamine	22 mg/m3
67-56-1	methanol	2100 ppm

· ***PAC-3:***
PAC 3: Life-threatening health effects.

127087-87-0	Nonylphenol Polyethylene Ethoxylate	790 mg/m3
64-02-8	Tetrasodium ethylenediaminetetraacetate	350 mg/m3
25155-30-0	sodium dodecylbenzenesulphonate, pure (C10-16)	87 mg/m3
119-36-8	METHYL SALICYLATE	71 ppm
1310-73-2	Sodium Hydroxide	50 mg/m3

(Contd. on page 5)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/22/2026 *Reviewed on 06/22/2026*

Product name: **Super-Clean**

(Contd. of page 4)

56-81-5	glycerol	1100 mg/m3
111-42-2	Diethanolamine	130 mg/m3
67-56-1	methanol	7200 ppm

· ***Reference to other sections***
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

· ***Precautions for safe handling***
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
· ***Information about protection against explosions and fires:*** Keep respiratory protective device available.

· ***Conditions for safe storage, including any incompatibilities***
· ***Storage:***
· ***Requirements to be met by storerooms and receptacles:*** No special requirements.
· ***Information about storage in one common storage facility:*** Not required
· ***Further information about storage conditions:*** Keep receptacle tightly sealed.
· ***Specific end use(s)*** No further relevant information available.

8 Exposure controls/personal protection

· ***Control parameters***
· ***Components with limit values that require monitoring at the workplace:***
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
· ***Additional information:*** The lists that were valid during the creation of this SDS were used as basis.

· ***Exposure controls***
Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Where acceptable concentrations cannot be maintained by general mechanical ventilation, local exhaust ventilation is recommended.
· ***Appropriate engineering controls*** No further data; see section 7.
· ***Personal protective equipment:***
· ***General protective and hygienic measures:***
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
· ***Breathing equipment:***
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
· ***Protection of hands:***



Protective gloves

· ***Material of gloves***
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/22/2026 *Reviewed on 06/22/2026*

Product name: **Super-Clean**

(Contd. of page 5)

· ***Penetration time of glove material***
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· ***Eye protection:***



Goggles recommended during refilling.

· ***Limitation and supervision of exposure into the environment*** None

9 Physical and chemical properties

· ***Information on basic physical and chemical properties***
· ***General Information***

· ***Physical state***	Liquid
· ***Color:***	Blue
· ***Odor:***	Pleasant
· ***Odor threshold:***	Not determined
· ***Melting point/Melting range:***	Undetermined
· ***Boiling point/Boiling range:***	100 °C (212 °F)
· ***Flammability:***	Not applicable
· ***Explosion limits:***	
· ***Lower:***	Not determined
· ***Upper:***	Not determined
· ***Flash point:***	>100 °C (>212 °F)
· ***Decomposition temperature:***	Not determined
· ***pH-value:***	9-10
· ***Viscosity:***	
· ***Kinematic:***	Not determined
· ***Dynamic:***	Not determined
· ***Solubility in / Miscibility with***	
· ***Water:***	Fully miscible.
· ***Partition coefficient (n-octanol/water):***	Not determined
· ***Vapor pressure at 20 °C (68 °F):***	23 hPa (17.3 mm Hg)
· ***Density at 20 °C (68 °F):***	1.02576–1.05048 g/cm³ (8.55997–8.76626 lbs/gal)
· ***Relative density***	Not determined
· ***Bulk density:***	>1,027–1,050 kg/m³
· ***Vapor density***	Not determined
· ***Particle characteristics***	Not applicable

· ***Other information***
· ***Appearance:***

· ***Form:***	Liquid
· ***Important information on protection of health and environment, and on safety.***	
· ***Ignition temperature:***	Product is not self-igniting.
· ***Danger of explosion:***	Product does not present an explosion hazard.
· ***Solvent content:***	
· ***Organic solvents:***	<0.2 %
· ***VOC content:***	<0.10 % 1.1 g/l / 0.01 lb/gal
· ***Change in condition***	
· ***Oxidizing properties***	None

(Contd. on page 7)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/22/2026 *Reviewed on 06/22/2026*

Product name: **Super-Clean**

(Contd. of page 6)

· ***Evaporation rate*** Not determined

10 Stability and reactivity

· ***Reactivity***
The product is stable under normal conditions.
No further relevant information available.
· ***Chemical stability*** Stable under normal conditions.
· ***Thermal decomposition / conditions to be avoided:*** No decomposition if used according to specifications.
· ***Possibility of hazardous reactions*** No dangerous reactions known.
· ***Conditions to avoid*** No further relevant information available.
· ***Incompatible materials:*** No further relevant information available.
· ***Hazardous decomposition products:*** No dangerous decomposition products known.

11 Toxicological information

· ***Information on toxicological effects***
· ***Acute toxicity:***

· ***LD/LC50 values that are relevant for classification:***		
ATE (Acute Toxicity Estimate)		
Oral	LD50	11,240–19,533 mg/kg (Rat)
Dermal	LD50	>62,460 mg/kg (Rat)
Inhalative	LC50/96 hours	71–129 Mg/l

127087-87-0 Nonylphenol Polyethylene Ethoxylate		
Oral	LD50	16,000 mg/kg (Rat)
Dermal	LD50	4,490 mg/kg (Rabbit) 24 hr occluded contact
Inhalative	LC50/96 hours	3.8–6.2 Mg/l (pim)
64-02-8 Tetrasodium ethylenediaminetetraacetate		
Oral	LD50	630–1,260 mg/kg (Rat)
68130-47-2 COMPLEX ALKYL PHOSPHATE ESTER		
Oral	LD50	>2,500 mg/kg (Rat)
Dermal	LD50	>1,000 mg/kg (Rat)
Inhalative	LC50/96 hours	5.5 Mg/l (trout)
68603-42-9 Cocamide DEA		
Oral	LD50	1,600 mg/kg (Rat)
Dermal	LD50	12,200 mg/kg (Rabbit)
1300-72-7 Sodium Xylene Sulfonate		
Oral	LD50	>7,000 mg/kg (Rat)
Inhalative	LC50/4 h	>6.41 mg/l (Rat)
	LC50/96 hours	>1,000 Mg/l (fish)
25155-30-0 sodium dodecylbenzenesulphonate, pure (C10-16)		
Oral	LD50	438 mg/kg (Rat)
119-36-8 METHYL SALICYLATE		
Oral	LD50	890 mg/kg (ATE) 887 mg/kg (Rat)

(Contd. on page 8)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/22/2026 *Reviewed on 06/22/2026*

Product name: **Super-Clean**

(Contd. of page 7)

· ***Primary irritant effect:***
· ***on the skin:*** Irritant to skin and mucous membranes.
· ***on the eye:*** Irritating effect.
· ***Sensitization:*** Sensitization possible through skin contact.
· ***Additional toxicological information:***
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant
· ***Interactive effects*** No interactive effects between components are known.

· ***Carcinogenic categories***
· ***IARC (International Agency for Research on Cancer)***
Group 1 - Carcinogenic to humans
Group 2A - Probably carcinogenic to humans
Group 2B - Possibly carcinogenic to humans
Group 3 - Not classifiable as to its carcinogenicity to humans
Group 4 - Probably not carcinogenic to humans

68603-42-9	Cocamide DEA	2B
111-42-2	Diethanolamine	2B

· ***NTP (National Toxicology Program)***
None of the ingredients is listed.

· ***OSHA-Ca (Occupational Safety & Health Administration)***
None of the ingredients is listed.

· ***Alternative sources for toxicological information*** No non-standard sources for toxicological information were used.

12 Ecological information

· ***Toxicity***

· ***Aquatic toxicity:***	
127087-87-0 Nonylphenol Polyethylene Ethoxylate	
EC50	1,000 mg/kg (daphnia)
1300-72-7 Sodium Xylene Sulfonate	
EC50	>1,020 mg/kg (daphnia)

· ***Persistence and degradability*** No further relevant information available.
· ***Bioaccumulative potential*** No further relevant information available.
· ***Mobility in soil*** No further relevant information available.
· ***Results of PBT and vPvB assessment***
· ***PBT:*** Not applicable
· ***vPvB:*** Not applicable
· ***Other adverse effects***
· ***Additional ecological information:***
· ***General notes:***
Water hazard class 3 (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.

13 Disposal considerations

· ***Waste treatment methods***
· ***Recommendation:***
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Observe all federal, state and local environmental regulations when disposing of this material.

(Contd. on page 9)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/22/2026 *Reviewed on 06/22/2026*

Product name: **Super-Clean**

(Contd. of page 8)

· ***Waste disposal key:*** The U.S. EPA has not published waste disposal numbers for this product's components.

· ***Uncleaned packagings:***
· ***Recommendation:*** Disposal must be made according to official regulations.
· ***Recommended cleansing agent:*** Water, if necessary with cleansing agents.

14 Transport information

· ***UN-Number***
· ***DOT, IMDG, IATA*** UN1760
· ***UN proper shipping name***
· ***DOT*** Corrosive liquids, n.o.s. (COMPLEX ALKYL PHOSPHATE ESTER)
· ***IMDG*** CORROSIVE LIQUID, N.O.S. (COMPLEX ALKYL PHOSPHATE ESTER)
· ***IATA*** Corrosive liquid, n.o.s. (COMPLEX ALKYL PHOSPHATE ESTER)
· ***Transport hazard class(es)***

· ***DOT***



· ***Class*** 8 Corrosive substances
· ***Label*** 8

· ***IMDG, IATA***



· ***Class*** 8 Corrosive substances
· ***Label*** 8
· ***Packing group***
· ***DOT, IMDG, IATA*** II
· ***Environmental hazards:*** Product contains environmentally hazardous substances: sodium dodecylbenzenesulphonate, pure (C10-16)
· ***Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code*** Not applicable
· ***Transport/Additional information:***

· ***DOT***
· ***Quantity limitations*** On passenger aircraft/rail: 1 L
On cargo aircraft only: 30 L

· ***IMDG***
· ***Limited quantities (LQ)*** 1L
· ***Excepted quantities (EQ)*** Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
· ***Special precautions for user*** Warning: Corrosive substances
· ***Hazard identification number (Kemler code):*** 80
· ***EMS Number:*** F-A,S-B
· ***Stowage Category*** B

(Contd. on page 10)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/22/2026 *Reviewed on 06/22/2026*

Product name: **Super-Clean**

(Contd. of page 9)

· ***Stowage Code*** SW2 Clear of living quarters.
· ***UN "Model Regulation":*** UN 1760 CORROSIVE LIQUID, N.O.S. (COMPLEX ALKYL PHOSPHATE ESTER), 8, II

15 Regulatory information

· ***Safety, health and environmental regulations/legislation specific for the substance or mixture***

· ***TSCA (Toxic Substances Control Act):***		
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
127087-87-0	Nonylphenol Polyethylene Ethoxylate	ACTIVE
64-02-8	Tetrasodium ethylenediaminetetraacetate	ACTIVE
68130-47-2	COMPLEX ALKYL PHOSPHATE ESTER	ACTIVE
68603-42-9	Cocamide DEA	ACTIVE
1300-72-7	Sodium Xylene Sulfonate	ACTIVE
25155-30-0	sodium dodecylbenzenesulphonate, pure (C10-16)	ACTIVE
119-36-8	METHYL SALICYLATE	ACTIVE
1310-73-2	Sodium Hydroxide	ACTIVE
56-81-5	glycerol	ACTIVE
5064-31-3	trisodium nitrilotriacetate	ACTIVE
111-42-2	Diethanolamine	ACTIVE
67-56-1	methanol	ACTIVE

· ***Hazardous Air Pollutants***	
111-42-2	Diethanolamine
67-56-1	methanol

· ***Proposition 65***

· ***Chemicals known to cause cancer:***	
68603-42-9	Cocamide DEA
111-42-2	Diethanolamine

· ***Chemicals known to cause reproductive toxicity for females:***
None of the ingredients is listed.

· ***Chemicals known to cause reproductive toxicity for males:***
None of the ingredients is listed.

· ***Chemicals known to cause developmental toxicity:***	
67-56-1	methanol

· ***New Jersey Right-to-Know List:***	
25155-30-0	sodium dodecylbenzenesulphonate, pure (C10-16)
1310-73-2	Sodium Hydroxide
56-81-5	glycerol
111-42-2	Diethanolamine
67-56-1	methanol

· ***New Jersey Special Hazardous Substance List:***		
1310-73-2	Sodium Hydroxide	CO, R1
111-42-2	Diethanolamine	CO
67-56-1	methanol	TE, F3

(Contd. on page 11)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/22/2026 *Reviewed on 06/22/2026*

Product name: **Super-Clean**

(Contd. of page 10)

· ***Pennsylvania Right-to-Know List:***	
119-36-8	METHYL SALICYLATE
1310-73-2	Sodium Hydroxide
56-81-5	glycerol
111-42-2	Diethanolamine

· ***Pennsylvania Special Hazardous Substance List:***		
1310-73-2	Sodium Hydroxide	E
111-42-2	Diethanolamine	E

· ***EPA (Environmental Protection Agency)***
None of the ingredients is listed.

· ***TLV (Threshold Limit Value)***		
111-42-2	Diethanolamine	A3

· ***NIOSH-Ca (National Institute for Occupational Safety and Health)***
None of the ingredients is listed.

· ***PFAS***
None of the ingredients is listed.

· ***Per- and polyfluoroalkyl substances (PFAS)***
None of the ingredients is listed.

· ***GHS label elements*** The product is classified and labeled according to the Globally Harmonized System (GHS).

· ***Hazard pictograms***



GHS07 GHS08

· ***Signal word*** Warning

· ***Hazard-determining components of labeling:***
Cocamide DEA
METHYL SALICYLATE
sodium dodecylbenzenesulphonate, pure (C10-16)

· ***Hazard statements***
Causes skin and eye irritation.
May cause an allergic skin reaction.
Suspected of causing cancer.
Suspected of damaging fertility or the unborn child.
May cause damage to organs through prolonged or repeated exposure.

· ***Precautionary statements***
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wash thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
If on skin: Wash with plenty of water.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Get medical advice/attention.

(Contd. on page 12)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 06/22/2026 *Reviewed on 06/22/2026*

Product name: **Super-Clean**

(Contd. of page 11)

Specific treatment (see on this label).
Get medical advice/attention if you feel unwell.
Take off contaminated clothing and wash it before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· ***Chemical safety assessment:*** A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· ***SDS created by:*** Access GHS, LLC - 888-363-4870 - Team@access-ghs-sds.com
· ***Date of previous version*** 07/14/2023
· ***Version number of previous version:*** 2
· ***Date of preparation*** 06/22/2026
· ***Abbreviations and acronyms:***
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety and Health
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute toxicity - oral 4: Acute toxicity – Category 4
Skin corrosion 1C: Skin corrosion/irritation – Category 1C
Skin irritation 2: Skin corrosion/irritation – Category 2
Eye damage 1: Serious eye damage/eye irritation – Category 1
Eye irritation 2A: Serious eye damage/eye irritation – Category 2A
Eye irritation 2B: Serious eye damage/eye irritation – Category 2B
Sensitization - skin 1: Skin sensitisation – Category 1
Sensitization - skin 1B: Skin sensitisation – Category 1B
Carcinogenicity 2: Carcinogenicity – Category 2
Reproductive toxicity 2: Reproductive toxicity – Category 2
Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3
Specific target organ toxicity (repeated exposure) 2: Specific target organ toxicity (repeated exposure) – Category 2